

**ADVENTITIOUS ROOT FORMATION IN ROHIDA
(TECOMELLA UNDULATA (SM.) SEEM) CUTTINGS**

Akbar Karami and Hassan Salehi*

Department of Horticultural Science, College of Agriculture, Shiraz University, Shiraz, Iran,

*Fax: + 98 (711) 228 6133, *E-mail: hsalehi@shirazu.ac.ir

REFERENCES

- AMINAH H., DICK J. M. P., LEAKEY R. R. B., GRACE J., SMITH R. I. (1995). Effect of indole butyric acid (IBA) on stem cuttings of *Shorea leprosula*. *Forest Ecology and Management*, 72: 199-206.
- ARYA H. C., SHEKHAWAT N. S. (1986). Clonal multiplication of tree species in the Thar desert through tissue culture. *Forest Ecology and Management*, 16: 201-208.
- BHAUI B. S., NEGI M. S., JINDAL S. K., SING M., LAKSHMIKUMARAN M. (2007). Assessing genetic diversity of *Tecomella undulata* (Sm.) – an endangered tree species using amplified fragment length polymorphisms-based molecular marker. *Current Science*, 93: 67-72.
- BHANSALI R. (1993). Bud culture for shoot multiplication and plantlet formation of *Tecomella undulata* (Rohida), a woody tree of the arid zone. *Tropical Science*, 3: 31-38.
- BLAKESLEY D., WESTON G. D., ELLIOTT M. C. (1991). Endogenous levels of indole-3-acetic acid and abscisic acid during the rooting of *Cotinus coggygria* cuttings taken at different times of the year. *Plant Growth Regulation*, 10: 1-12.
- CALDWELL J. D., COSTON C. D., BROCK K. H. (1988). Rooting of semi-hardwood 'Hayward' kiwifruit cuttings. *HortScience*, 23: 714-717.
- DE KLERK G.-J., TER BRUGGE J., MARINOVA S. (1997). Effectiveness of IAA, IBA and NAA during adventitious root formation *in vitro* in *Malus* 'Jork 9'. *Plant Cell, Tissue and Organ Culture*, 49: 39-44.
- EPSTEIN E., LUDWIG-MULLER J. (1993). Indole-3-butyric acid in plants: occurrence, synthesis, metabolism and transport. *Physiologia Plantarum*, 88: 382-389.
- FORD Y. Y., BONHAM E. C., CAMERON R. W. F., BLAKE P. S., JUDD H. L., HARRISON-MURRAY R. S. (2002). Adventitious rooting: examining the role of auxin in an easy- and difficult-to-root plant. *Plant Growth Regulation*, 36: 149-159.
- HARTMANN H. T., KESTER D. E., DAVIES F. T., GENEVE R. L. (2002). *Plant propagation: principles and practices*. 7th ed. Prentice Hall, New Jersey, NJ., USA, 880 pp.
- KRISANTINI S., MARGARET J., RICHARD R. W., CHRISTINE B. (2006). Adventitious root formation in *Grevillea* (Proteaceae), an Australian native species. *Scientia Horticulturae*, 107: 171-175.
- KUMAR R., SINGHAL S., MISRA R. (Eds.) (2008). Rohida micro-propagation. Annual Report 2007-2008. Indian Council of Forestry Research and Education, Dehradun, India, 255 pp.
- LUDWIG-MULLER J. (2000). Indole-3-butyric acid in plant growth and development. *Plant Growth Regulation*, 32: 219-230.
- MENCUCINI M. (2003). Effect of medium darkening on *in vivo* rooting capability and rooting seasonality of olive (*Olea europaea* L.) cultivars. *Scientia Horticulturae*, 97: 129-139.
- NANDWANI D., MATHUR N., RAMAWAT K. G. (1995). *In-vitro* shoot multiplication from cotyledonary node explants of *Tecomella undulata*. *Gartenbauwissenschaft*, 60: 65-68.
- NICKELL L. G. (1982). *Plant growth regulators. Agricultural uses*. Springer-Verlag, Heidelberg, Berlin, 173 pp.
- NORDSTROM A. C., JACOBS F. A., ELIASSON L. (1991). Effect of exogenous IAA and IBA on internal levels of the respective auxins and their conjugation with aspartic acid during adventitious root formation in pea cuttings. *Plant Physiology*, 96: 856-861.
- NORMANLY J. (1997). Auxin metabolism. *Physiologia Plantarum*, 100: 431-442.
- RATHORE T. S., SINGH R. P., SHEKHAWAT N. S. (1991). Clonal propagation of desert teak (*Tecomella undulata*) through tissue culture. *Plant Science*, 79: 217-222.
- SMITH N. G., WAREING P. F. (1972). The distribution of latent root primordia in stems of *Populus robusta*, and factors affecting the emergence of preformed roots from cuttings. *Forestry*, 45: 197-209.
- WIESMAN Z., LAVEE S. (1995). Enhancements of IBA stimulatory effect on rooting of olive cultivar stem cuttings. *Scientia Horticulturae*, 62: 189-198.