

## EFFECTS OF PLANT GROWTH REGULATORS AND ENVIRONMENTAL FACTORS ON *IN VITRO* PROPAGATION OF ×*MALOSORBUS FLORENTINA*

Aekaterini Nikolaos Martini and Maria Papafotiou\*

Laboratory of Floriculture and Landscape Architecture, Department of Crop Science,  
Agricultural University of Athens, Iera Odos 75, 118 55 Athens, Greece,  
\*Fax: + 30 210 52 94 553, \*E-mail: mpapaf@aua.gr

### REFERENCES

- ARRILLAGA I., MARZO T., SEGURA J. (1991). Micropropagation of juvenile and adult *Sorbus domestica* L. *Plant Cell, Tissue and Organ Culture*, 27: 341-348.
- BOLAR J. P., NORELLI J. L., ALDWINCKLE H. S. (1998). An efficient method for rooting and acclimation of micropropagated apple cultivars. *HortScience*, 33: 1251-1252.
- BOLLMARK M., KUBÁT B., ELIASSON L. (1988). Variation in endogenous cytokinin content during adventitious root formation in pea cuttings. *Journal of Plant Physiology*, 132: 262-265.
- BOMMINENI V. R., MATHEWS H., SAMUEL S. B., KRAMER M., WAGNER D. R. (2001). A new method for rapid *in vitro* propagation of apple and pear. *HortScience*, 36: 1102-1106.
- BRESSAN P. H., KIM Y. J., HYNDMAN S. E., HASEGAWA P. M., BRESSAN R. A. (1982). Factors affecting *in vitro* propagation of rose. *Journal of the American Society for Horticultural Science*, 107: 979-990.
- BROWICZ K. (1970). "Malus florentina"- its history, systematic position and geographical distribution. *Fragmenta Floristica et Geobotanica*, 16: 61-83.
- BROWICZ K. (1983). ×*Malosorbus florentina* (Zuccagni) Browicz (Rosaceae) in Greece. *Annales Musei Goulandris*, 6: 27-35.
- CABONI E., BOUMIS G., DAMIANO C. (1992). Effects of phenols, gibberellic acid and carbohydrates on the rooting of apple rootstock M9 Jork. *Agronomie*, 12: 789-794.
- CHALUPA V. (1992). Micropropagation of European mountain ash (*Sorbus aucuparia* L.) and wild service tree [*Sorbus torminalis* (L.) Cr.]. In: Bajaj Y. P. S. (Ed.). *Biotechnology in Agriculture and Forestry 18. High-Tech and Micropropagation II*. Springer-Verlag: 211-226.
- CHALUPA V. (2002). *In vitro* propagation of mature trees of *Sorbus aucuparia* L. and field performance of micropropagated trees. *Journal of Forest Science*, 48: 529-535.
- CHENG M., ZHANG Y., LI X. (2000). Studies on the flora of the genus *Malus* Mill. *Acta Horticulturae Sinica*, 27: 469-474.
- CHRISTENSEN K. I. (1995). ×*Malosorbus florentina* (Zuccagni) Browicz. In: Phitos D., Strid A., Snogerup S., Greuter W. (Eds). *The Red Data Book of rare and threatened plants of Greece*. Financed by the World Wide Fund for Nature (WWF), K. Michalas S.A.: 358-359.
- DE KLERK G. J., TER BRUGGE J., MARINOVA S. (1997). Effectiveness of indoleacetic acid, indolebutyric acid and naphthaleneacetic acid during adventitious root formation *in vitro* in *Malus* 'Jork 9'. *Plant Cell, Tissue and Organ Culture*, 49: 39-44.
- DE KLERK G. J., HANEČÁKOVÁ J., JASIK J. (2001). The role of cytokinins in rooting of stem slices cut from apple microcuttings. *Plant Biosystems*, 135: 79-84.
- DOBRAŃSKI J., TEIXEIRA DA SILVA J. A. (2010). Micropropagation of apple - a review. *Biotechnology Advances*, 28: 462-488.
- DUMAS E., MONTEUUIS O. (1995). *In vitro* rooting of micropropagated shoots from juvenile and mature *Pinus pinaster* explants: influence of activated charcoal. *Plant Cell, Tissue and Organ Culture*, 40: 231-235.
- ERIG A. C., SCHUCH M. W., DA SILVA L. C., BRAGA E. J. B. (2002). Nitrogen and growth regulators on *in vitro* multiplication of apple cv. Fuji. *Revista Científica Rural*, 7: 66-73.
- FASOLO F., ZIMMERMAN R. H., FORDHAM I. (1989). Adventitious shoot formation on excised leaves of *in vitro* grown shoots of apple cultivars. *Plant Cell, Tissue and Organ Culture*, 16: 75-87.
- FAY M. F. (1994). In what situations is *in vitro* culture appropriate to plant conservation? *Biodiversity and Conservation*, 3: 176-183.
- GUO B., ABBASI B. H., ZEB A., XU L. L., WEI Y. H. (2011). Thidiazuron: a multi-dimensional plant growth regulator. *African Journal of Biotechnology*, 10: 8984-9000.
- HUETTEMAN C. A., PREECE J. E. (1993). Thidiazuron: a potent cytokinin for woody plant tissue culture. *Plant Cell, Tissue and Organ Culture*, 33: 105-119.
- HUTCHINSON J. F. (1984). Factors affecting shoot proliferation and root initiation in organ cultures of the apple 'Northern Spy'. *Scientia Horticulturae*, 22: 347-358.
- KARTSONAS E., PAPAFOOTIU M. (2007). Mother plant age and seasonal influence on *in vitro* propagation of *Quercus euboica* Pap., an endemic, rare and endangered oak species of Greece. *Plant Cell, Tissue and Organ Culture*, 90: 111-116.
- KATAEVA N. V., BUTENKO R. G. (1987). Clonal micropropagation of apple trees. *Acta Horticulturae*, 212: 585-588.
- KHURANA P., BHATNAGAR S., KUMARI S. (2005). Thidiazuron and woody plant tissue culture. *Journal of Plant Biology-New Delhi*, 32: 1-12.
- LANE W. D. (1992). Micropropagation of apple (*Malus domestica* Barkh.). In: Bajaj Y. P. S. (Ed.). *Biotechnology in Agriculture and*

- Forestry 18. High-Tech and Micropropagation II. Springer-Verlag: 229-243.
- LEE S., KO K., ALDWINCKLE H. S. (2000). Resistance of selected *Malus* germplasm to *Rosellinia necatrix*. Journal of American Pomological Society, 54: 219-228.
- LU C. Y. (1993). The use of thidiazuron in tissue culture. In Vitro Cellular & Developmental Biology-Plant, 29: 92-96.
- MA F. W., WANG J. C., RONG W. (1990). Effects of plant growth regulators on *in vitro* propagation of apple cultivar Fuji. Journal of Fruit Science, 7: 201-206.
- MAGYAR-TÁBORI K., DOBRÁNSZKI J., TEXEIRA DA SILVA J. A., BULLEY S. M., HUDÁK I. (2010). The role of cytokinins in shoot organogenesis in apple. Plant Cell, Tissue and Organ Culture, 101: 251-267.
- MAGYAR-TÁBORI K., DOBRÁNSZKI J., HUDÁK I. (2011). Effect of cytokinin content of regeneration media on *in vitro* rooting ability of adventitious apple shoots. Scientia Horticulturae, 129: 910-913.
- MANGANARIS A. G. ALSTON F. H. (1992). Genetics of esterase isoenzymes in *Malus*. Theoretical and Applied Genetics, 83: 467-475.
- MARTINI A. N. (2013). Investigation of the effect of explants physiology, as well as of the substrate and the growing conditions in the micropropagation of  $\times$ *Malosorbus florentina*. PhD Thesis, Laboratory of Floriculture and Landscape Architecture, Department of Crop Science, Agricultural University of Athens, 325 pp.
- MARTINI A. N., PAPAFOTIU M. (2009). *In vitro* rooting of  $\times$ *Malosorbus florentina* Zucc. microshoots. Acta Horticulturae, 813: 491-496.
- MARTINI A. N., PAPAFOTIU M. (2011). Effect of thidiazuron on blastogenesis and subsequent rhizogenesis of  $\times$ *Malosorbus florentina* Zucc. Acta Horticulturae, 923:169-176.
- MARTINI A. N., PAPAFOTIU M. (in press). Micropropagation as means for the conservation of the rare and endangered  $\times$ *Malosorbus florentina* Zucc. (Rosaceae). Acta Horticulturae, 990: 409-414.
- MARTINI A. N., PAPAFOTIU M., VEMMOS S. N. (2013). Season and explant origin affect phenolic content, browning of explants, and micropropagation of  $\times$ *Malosorbus florentina* (Zucc.) Browicz. HortScience, 48: 102-107.
- MURASHIGE T., SKOOG F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiologia Plantarum, 15: 473-497.
- MURTHY B. N. S., MURCH S. J., SAXENA P. K. (1998). Thidiazuron: a potent regulator of *in vitro* plant morphogenesis. In Vitro Cellular & Developmental Biology-Plant, 34: 267-275.
- ÖRDÖGH M., JÁMBOR-BENCZÚR E., TILLY-MÁNDY A., LELIK L. (2006). The effects of growth regulators in proliferation of *Sorbus redliana* 'Burokvölgy'. International Journal of Horticultural Science, 12: 77-83.
- PAN M. J., VAN STADEN J. (1998). The use of charcoal in *in vitro* culture-a review. Plant Growth Regulation, 26: 155-163.
- PAPAFOTIU M., MARTINI A. N. (2009a). Effect of growth medium on *in vitro* regeneration of  $\times$ *Malosorbus florentina* Zucc. Acta Horticulturae, 813: 497-501.
- PAPAFOTIU M., MARTINI A. N. (2009b). Effect of season and sterilization method on response of  $\times$ *Malosorbus florentina* (Zucc.) Browicz (Rosaceae) buds to *in vitro* culture. Acta Horticulturae, 813: 503-508.
- PARVEEN S., SHAHZAD A. (2010). TDZ-induced high frequency shoot regeneration in *Cassia sophera* Linn. via cotyledonary node explants. Physiology and Molecular Biology of Plants, 16: 201-206.
- PAWLICKI N., WELANDER M. (1994). Adventitious shoot regeneration from leaf segments of *in vitro* cultured shoots of the apple rootstock Jork 9. Journal of Horticultural Science, 69: 687-696.
- PIERIK R. L. M., OOSTERKAMP J., EBBING M. A. C. (1997). Factors controlling adventitious root formation of explants from juvenile and adult *Quercus robur* 'Fastigiata'. Scientia Horticulturae, 71: 87-92.
- POSPÍŠILOVÁ J., SYNKOVÁ H., HAISEL D., SEMORÁDOVÁ Š. (2007). Acclimatization of plantlets to *ex vitro* conditions: Effects of air humidity, irradiance, CO<sub>2</sub> concentration and abscisic acid (a review). Acta Horticulturae, 748: 29-38.
- ROHR R., ILIEV I., SCALTSOYIANNES A., TSOULOHA P. (2003). Acclimatization of micropropagated forest trees. Acta Horticulturae, 616: 59-69.
- SAMORODOVA-BIANKI G. B., VITOKOVSKII V. L., STREL'TSINA S. A., ROSTOVA N. S. (1990). Use of multivariate analysis of biochemical characters to investigate the relationship between species of the genus *Malus* (Rosaceae). Botanicheskii Zhurnal, 75: 145-158 (in Russian).
- SANCHEZ M. C., SAN-JOSE M. C., BALLESTER A., VIEITEZ A. M. (1996). Requirements for *in vitro* rooting of *Quercus robur* and *Q. rubra* shoots derived from mature trees. Tree Physiology, 16: 673-680.
- SARASAN V., CRIPPS R., RAMSAY M. M., ATHERTON C., MCMICHEN M., PRENDERCAST G., ROWNTREE J. K. (2006). Conservation *in vitro* of threatened plants – Progress in the past decade. In Vitro Cellular & Developmental Biology-Plant, 42: 206-214.
- SAVIĆ J., DEVIĆ M., GIBA Z., GRUBIŠIĆ D. (2006). *In vitro* propagation of endangered relic plant species *Malosorbus florentina*. In: Rakonjac Lj. (Ed.). Proceedings of International Scientific Conference "Sustainable Use of Forest Ecosystems – the Challenge of the 21<sup>st</sup> Century", Institute of Forestry, Serbia: 529-533.
- SHARMA M., MODGIL M., THAKUR M. (2007). Factors affecting induction and development of *in vitro* rooting in apple rootstocks. Indian Journal of Experimental Biology, 45: 824-829.
- SCHUSTER M., GEIBEL M., FISCHER M., FISCHER C. (2000). Genetics of powdery mildew resistance in *Malus* species. Acta Horticulturae, 538: 593-595.
- TUTIN T. G., HEYWOOD V. H., BURGESS N. A., MOORE D. M., VALENTINE D. H., WALTERS S. M., WEBB D. A., BALL P. W., CHATER A. O., FERGUSON I. K. (1968). Flora Europaea, vol. 2. Rosaceae to Umbelliferae. Cambridge University Press, Cambridge: 455.
- UR-RAHMAN H., JAMES D. J., CALIGARI P. D. S., WETTEN A. (2007). Difference in competence for *in vitro* proliferation and *ex vitro* growth of genetically identical mature and juvenile clones of apomictic *Malus* species. Pakistan Journal of Botany, 39: 1197-1206.
- VAN NIEUWKERK J. P., ZIMMERMAN R. H., FORDHAM I. (1986). Thidiazuron stimulation of apple shoot proliferation *in vitro*. HortScience, 21: 516-518.
- VÉRTESY J., BALLA I. (1987). Acclimatization of woody plants under continental climatic conditions. Acta Horticulturae, 212: 311-314.
- WELANDER M. (1983). *In vitro* rooting of the apple rootstock M 26 in adult and juvenile growth phases and acclimatization of the plantlets. Physiologia Plantarum, 58: 231-238.