

## GASEOUS GROWTH REGULATORS: CAN THEY HELP IN SOLVING RECALCITRANCE PROBLEMS ENCOUNTERED WHEN ATTEMPTING TO CLONE PLANTS BY *IN VITRO* CULTURE?

Jan Max Bonga

Natural Resources Canada, Canadian Forest Service, P. O. Box 4000, Fredericton NB E3B 5P7, Canada,  
Fax: 506-452-3525, E-mail: [jbonga@nrca.gc.ca](mailto:jbonga@nrca.gc.ca)

### REFERENCES

- ABELES F. B., MORGAN P. W., SALVEIT M. E. (1992). Ethylene in Plant Biology. Academic Press Inc. New York, 414 pp.
- ABU-ABIED M., SZWERDSZARF D., MORDEHAEV I., LEVY A., ROGOVOY (STELMAKH) O., BELAUSOV E., YANIV Y., ULIEL S., KATZENELLENBOGEN M., RIOV J., OPHIR R., SADOT E. (2012). Microarray analysis revealed upregulation of nitrate reductase in juvenile cuttings of *Eucalyptus grandis*, which correlated with increased nitric oxide production and adventitious root formation. *The Plant Journal*, 71: 787-799.
- AFELE J. C., SAXENA P. K. (1995). Somatic embryogenesis in blue spruce (*Picea pungens* Engelmann). In: Jain S. M., Gupta P. K., Newton R. J. (Eds). Somatic Embryogenesis in Woody Plants, Vol 3. Kluwer Academic Publishers: 99-109.
- ARASIMOWICZ M., FLORYSZAK-WIECZOREK J. (2007). Nitric oxide as a bioactive signalling molecule in plant stress responses. *Plant Science*, 172: 876-887.
- AREND M., SCHNITZLER J.-P., EHLTING B., HÄNSCH R., LANGE T., RENNENBERG H., HIMMELBACH A., GRILL E., FROMM J. (2009). Expression of the Arabidopsis mutant *abi1* gene alters abscisic acid sensitivity, stomatal development, and growth morphology in gray poplars. *Plant Physiology*, 151: 2110-2119.
- ARIGITA L., SÁNCHEZ-TAMÉZ R., GONZÁLEZ A. (2003). 1-Methylcyclopropene and ethylene as regulators of *in vitro* organogenesis in kiwi plants. *Plant Growth Regulation*, 40: 59-64.
- AUBOIRON E., CARRON M.-P., MICHAUX-FERRIÈRE N. (1990). Influence of atmospheric gases, particularly ethylene, on somatic embryogenesis of *Hevea brasiliensis*. *Plant Cell, Tissue and Organ Culture*, 21: 31-37.
- BIDDINGTON N. L. (1992). The influence of ethylene in plant tissue culture. *Plant Growth Regulation*, 11: 173-187.
- BONGA J. M. (2012). Recalcitrance in the *in vitro* propagation of trees. In: Park Y. S., Bonga J. M. (Eds). Proceedings of the IUFRO Working Party 2.09.02 conference on "Integrating vegetative propagation, biotechnologies and genetic improvement for tree production and sustainable forest management" June 25-28, 2012, Brno Czech Republic. Published online: <http://www.iufro20902.org/>: 37-46.
- BONGA J. M., KLIMASZEWSKA K. K., VON ADERKAS P. (2010). Recalcitrance in clonal propagation, in particular of conifers. *Plant Cell, Tissue and Organ Culture*, 100: 241-254.
- CAO Z. Y., XUAN W., LIU Z. Y., LI X. N., ZHAO N., XU P., WANG Z., GUAN R. Z., CHEN W. B. (2007). Carbon monoxide promotes lateral root formation in rape seed. *Journal of Integrative Plant Biology*, 49: 1070-1079.
- CHATFIELD S. P., RAIZADA M. N. (2008). Ethylene and shoot regeneration: *hookless 1* modulates de novo shoot organogenesis in *Arabidopsis thaliana*. *Plant Cell Reports*, 27: 655-666.
- CHEN Y. H., KAO C. H. (2012). Calcium is involved in nitric oxide- and auxin-induced lateral root formation in rice. *Protoplasma*, 249: 187-195.
- DAS A., LEE S.-H., HYUN T. K., KIM S.-W., KIM J.-Y. (2013). Plant volatiles as method of communication. *Plant Biotechnology Reports*, 7: 9-26.
- DE KLERK G.-J. (2002). Rooting of microcuttings: Theory and practice. *In Vitro Cellular & Developmental Biology-Plant*, 38: 415-422.
- DIAS L. L. C., RIBEIRO D. M., SANTA-CATARINA C., BARROS R. S., FLOH E. I. S., OTONI W. C. (2010). Ethylene and polyamine interactions in morphogenesis of *Passiflora cincinnata*: effects of ethylene biosynthesis and action modulators, as well as ethylene scavengers. *Plant Growth Regulation*, 62: 9-19.
- DICKE M., LORETO F. (2010). Induced plant volatiles: from genes to climate change. *Trends in Plant Science*, 15: 115-117.
- DURZAN D. J. (2002). Stress-induced nitric oxide and adaptive plasticity in conifers. *Journal of Forest Science*, 48: 281-291.
- DURZAN D. J., PEDROSO M. C. (2002). Nitric oxide and reactive nitrogen oxide species in plants. *Biotechnology and Genetic Engineering Reviews*, 19: 293-337.
- DURZAN D. J. (2012). Interpolated apomictic somatic embryogenesis, androsporogenesis, asexual heterospory, mitosporogenesis and genomic silencing in a gymnosperm artificial sporangium. In: Park Y. S., Bonga J. M. (Eds). Proceedings of the IUFRO Working Party 2.09.02 conference on "Integrating vegetative propagation, biotechnologies and genetic improvement for tree production and sustainable forest management" June 25-28, 2012, Brno Czech Republic. Published online: <http://www.iufro20902.org/>: 3-36.
- EL MESKAOUI A., TREMBLAY F. (1999). Effects of sealed and vented gaseous microenvironments on the maturation of somatic embryos of black spruce with special emphasis on ethylene. *Plant Cell, Tissue and Organ Culture*, 56: 201-209.
- EL MESKAOUI A., TREMBLAY F. (2001). Involvement of ethylene in the maturation of black spruce embryogenic cell lines with different maturation capacities. *Journal of Experimental Botany*, 52: 761-769.

- FEHÉR A., PASTERNAK T. P., DUDITS D. (2003). Transition of somatic plant cells to an embryogenic state. *Plant Cell Tissue and Organ Culture*, 74: 201-228.
- GARCÉS H., DURZAN D., PEDROSO M. C. (2001). Mechanical stress elicits nitric oxide formation and DNA fragmentation in *Arabidopsis thaliana*. *Annals of Botany*, 87: 567-574.
- GNIĄZDOWSKA A., KRASUSKA U., CZAJKOWSKA K., BOGATEK R. (2010). Nitric oxide, hydrogen cyanide and ethylene are required in the control of germination and undisturbed development of young apple seedlings. *Plant Growth Regulation*, 61: 75-84.
- GONZÁLEZ A., ARIGITA L., MAJADA J., SÁNCHEZ TAMÉS R. (1997). Ethylene involvement in *in vitro* organogenesis and plant growth of *Populus tremula* L. *Plant Growth Regulation*, 22: 1-6.
- GUO K., XIA K., YANG Z. M. (2008). Regulation of tomato lateral root development by carbon monoxide and involvement in auxin and nitric oxide. *Journal of Experimental Botany*, 59: 3443-3452.
- GUO K., KONG W. W., YANG Z. M. (2009). Carbon monoxide promotes root hair development in tomato. *Plant, Cell and Environment*, 32: 1033-1045.
- HAN X., YANG H., DUAN K., ZHANG X., ZHAO H., YOU S., JIANG Q. (2009). Sodium nitroprusside promotes multiplication and regeneration of *Malus hupehensis in vitro* plantlets. *Plant Cell, Tissue and Organ Culture*, 96: 29-34.
- HATANAKA T., SAWABE E., AZUMA T., UCHIDA N., YASUDA T. (1995). Role of ethylene in somatic embryogenesis from leaf discs of *Coffea canephora*. *Plant Science*, 107: 199-204.
- HILL A. C., BENNETT J. H. (1970). Inhibition of apparent photosynthesis by nitrogen oxides. *Atmospheric Environment*, 4: 341-348.
- HUNG K. T., KAO C. H. (2003). Nitric oxide counteracts the senescence of rice leaves induced by abscisic acid. *Journal of Plant Physiology*, 160: 871-879.
- JOYCE S. M., CASSELS A. C., JAIN S. M. (2003). Stress and aberrant phenotypes in *in vitro* culture. *Plant Cell, Tissue and Organ Culture*, 74: 103-121.
- KALRA C., BABBAR S. B. (2012). Stimulatory and period-specific effect of nitric oxide on *in vitro* caulogenesis in *Albizia lebbeck* (L.) Benth. *Acta Physiologiae Plantarum*, 34: 387-392.
- KONG L., YEUNG E. C. (1994). Effects of ethylene and ethylene inhibitors on white spruce somatic embryo maturation. *Plant Science*, 104: 71-80.
- KUMAR P. P., REID D. M., THORPE T. A. (1987). The role of ethylene and carbon dioxide in differentiation of shoot buds in excised cotyledons of *Pinus radiata in vitro*. *Physiologia Plantarum*, 69: 244-252.
- KUMAR P. P., JOY R. W., THORPE T. A. (1990). Ethylene and carbon dioxide accumulation and growth of cell suspension cultures of *Picea glauca* (white spruce). *Journal of Plant Physiology*, 135: 592-596.
- KUMAR P. P., LAKSHMANA P., THORPE T. (1998). Review: Regulation of morphogenesis in plant tissue culture by ethylene. *In Vitro Cellular & Developmental Biology-Plant* 34: 94-103.
- KUREPIN L., HASLAM T., LOPEZ-VILLALOBOS A., OINAM G., YEUNG E. (2011). Adventitious root formation in ornamental plants: II The role of plant growth regulators. *Propagation of Ornamental Plants*, 11: 161-171.
- KVAALEN H. (1994). Ethylene synthesis and growth in embryogenic tissue of Norway spruce: Effects of oxygen, 1-aminocyclopropane-1-carboxylic acid, benzyladenine and 2,4-dichlorophenoxyacetic acid. *Physiologia Plantarum*, 92: 109-117.
- LANTERI M. L., LAXALT A. M., LAMATTINA L. (2008). Nitric oxide triggers phosphatidic acid accumulation via phospholipase D during auxin-induced adventitious root formation in cucumber. *Plant Physiology*, 147: 188-198.
- LENOBLE M. E., SPOLEN W. G., SHARP R. E. (2004). Maintenance of shoot growth by endogenous ABA: genetic assesment of the involvement of ethylene suppression. *Journal of Experimental Botany*, 55: 237-245.
- LESHM Y. Y., WILLS R. B. H., KU V. V. V. (1998). Evidence for the function of the free radical gas - nitric oxide (NO) - as an endogenous maturation and senescence regulating factor in higher plants. *Plant Physiology and Biochemistry*, 36: 825-833.
- LINDERMAYR C., SAALBACH G., BAHNWEIG G., DURNER J. (2006). Differential inhibition of *Arabidopsis* methionine adenosyltransferases by protein S-nitrosilation. *Journal of Biological Chemistry*, 281: 4285-4291.
- LÓPEZ-CARRIÓN A. I., CASTELLANO R., ROSALES M. A., RUIZ J. M., ROMERO L. (2008). Role of nitric oxide under saline stress: implications on proline metabolism. *Biologia Plantarum*, 52: 587-591.
- LU J., VAHALA J., PAPPINEN A. (2011). Involvement of ethylene in somatic embryogenesis in Scots pine (*Pinus sylvestris* L.). *Plant Cell, Tissue and Organ Culture*, 107: 25-33.
- LYONS R., MANNERS J. M., KAZAN K. (2013). Jasmonate biosynthesis and signaling in monocots: a comparative overview. *Plant Cell Reports*, 32: 815-827.
- MAURI P. V., MANZANERA J. A. (2011). Somatic embryogenesis of holm oak (*Quercus ilex* L.): ethylene production and polyamine content. *Acta Physiologiae Plantarum*, 33: 717-723.
- MORI Y., MIYAHARA F., TSUTSUMI Y., KONDO R. (2011). Effects of combinational treatment with etephon and indole-3-butyric acid on adventitious rooting of *Pinus thunbergii* cuttings. *Plant Growth Regulation*, 63: 271-278.
- NASCIMENTO VIEIRA L. DO, SANTA-CATARINA C., FREITAS FRAGA H. P. DE, SANTOS A. L. W. DOS, STEINMACHER D. A., SCHLOGL P. S., SILVEIRA V., STEINER N., FLOH E. I. S., GUERRA M. P. (2012). Glutathione improves early somatic embryogenesis in *Araucaria angustifolia* (Bert) O. Kuntze by alteration in nitric oxide emission. *Plant Science* 195: 80-87.
- NOUR K., THORPE T. (1994). The effect of the gaseous state on bud induction and shoot multiplication *in vitro* in eastern white cedar. *Physiologia Plantarum*, 90: 163-172.
- ÓTVÓS K., PASTERNAK T. P., MISKOLCZI P., DOMOKI M., DORJGOTOV D., SZÜCS A., BOTTKA S., DUDITS D., FEHÉR A. (2005). Nitric oxide is required for, and promotes auxin-mediated activation of, cell division and embryogenic cell formation but does not influence cell cycle progression in alfalfa cell cultures. *Plant Journal*, 43: 849-860.
- PAGNUSSAT G. C., LANTERI M. L., LAMATTINA L. (2003). Nitric oxide and cyclic GMP are messengers in the indoleacetic acid-induced adventitious rooting process. *Plant Physiology*, 132: 1241-1248.

- PAGNUSSAT G. C., LANTERI M. L., LOMBARDO M. C., LAMATTINA L. (2004). Nitric oxide mediates the indoleacetic acid induction of a mitogen-activated protein kinase cascade involved in adventitious root development. *Plant Physiology*, 135: 279-286.
- PEDROSO M. C., DURZAN D. J. (2000). Effect of different gravity environments on DNA fragmentation and cell death in *Kalanchoe* leaves. *Annals of Botany*, 86: 983-994.
- PEDROSO M. C., MAGALHAES J. R., DURZAN D. J. (2000). Nitric oxide induces cell death in *Taxus* cells. *Plant Science*, 157: 173-180.
- PEREIRA-NETTO A. B. (2001). Effect of inhibitors of ethylene biosynthesis and signal transduction pathway on the multiplication of *in vitro*-grown *Hancornia speciosa*. *Plant Cell, Tissue and Organ Culture*, 66: 1-7.
- PRASAD M. E., SCHOFIELD A., LYZENGA W., LIU H., STONE S. L. (2010). Arabidopsis RING E3 ligase XBAT32 regulates lateral root production through its role in ethylene biosynthesis. *Plant Physiology*, 153: 1587-1596.
- PTAK A., TAHCHY E. I., WYŻGOLIK G., HENRY M., LAURAIN-MATTAR D. (2010). Effects of ethylene on somatic embryogenesis and galanthamine content in *Leucojum aestivum* L. cultures. *Plant Cell, Tissue and Organ Culture*, 102: 61-67.
- PULLMAN G. S., NAMJOSHI K., ZHANG Y. (2003) Somatic embryogenesis in loblolly pine (*Pinus taeda* L.): improving culture initiation with abscisic acid and silver nitrate. *Plant Cell Reports*, 22: 85-95.
- RAGONEZI C., KLIMASZEWSKA K., CASTRO M. R., LIMA M., DE OLIVEIRA P., ZAVATTIERI M. A. (2010). Adventitious rooting of conifers: influence of physical and chemical factors. *Trees*, 24: 975-992.
- RUDUŠ I., SASIAK M., KEPCZYŃSKI J. (2013). Regulation of ethylene biosynthesis at the level of 1-aminocyclopropane-1-carboxylate oxidase (ACO) gene. *Acta Physiologiae Plantarum*, 35: 295-307.
- SAHER S., FERNÁNDEZ-GARCÍA N., PIQUERAS A., HELLÍN E., OLMOS E. (2005). Reducing properties, energy efficiency and carbohydrate metabolism in hyperhydric and normal carnation shoots cultured *in vitro*: a hypoxia stress. *Plant Physiology and Biochemistry*, 43: 573-582.
- SAINI S., SHARMA I., KAUR N., PATI P. K. (2013). Auxin: a master regulator in plant root development. *Plant Cell Reports*, 32: 741-757.
- SALY S., JOSEPH C., CORBINEAU F., LELU M., CÔME D. (2002). Induction of secondary somatic embryogenesis in hybrid larch (*Larix × leptoeuropaea*) as related to ethylene. *Plant Growth Regulation*, 37: 287-294.
- SANTA-CATARINA C., SILVEIRA V., SCHERER G. F. E., FLOH E. I. S. (2007). Polyamine and nitric oxide levels relate with morphogenetic evolution in somatic embryogenesis of *Ocotea catharinensis*. *Plant Cell, Tissue and Organ Culture*, 90: 93-101.
- SILVEIRA V., SANTA-CATARINA C., TUN N. N., SCHERER G. F. E., HANDRO W., GUERRA M. P., FLOH E. I. S. (2006). Polyamine effects on the endogenous polyamine contents, nitric oxide release, growth and differentiation of embryogenic suspension cultures of *Araucaria angustifolia* (Bert.) O. Ktze. *Plant Science* 171: 91-98.
- SIMONTACCHI M., GARCIA-MATA C., BARTOLI C. G., SANTA-MARIA G. E., LAMATTINI L. (2013). Nitric oxide as a key component in hormone-regulated processes. *Plant Cell Reports*, 32: 853-866.
- SPOLEN W. G., LENOBLE M. E., SAMUELS T. D., BERNSTEIN N., SHARP R. E. (2000). Abscisic acid accumulation maintains maize primary root elongation at low water potentials by restricting ethylene production. *Plant Physiology*, 122: 967-976.
- STASOLLA C., KONG L., YEUNG E. C., THORPE T. A. (2002). Maturation of somatic embryos in conifers: Morphogenesis, physiology, biochemistry and molecular biology. *In Vitro Cellular & Developmental Biology-Plant*, 38: 93-105.
- STASOLLA C., YEUNG E. C. (2003). Recent advances in conifer somatic embryogenesis: improving somatic embryo quality. *Plant Cell, Tissue and Organ Culture*, 74: 15-35.
- SUN J., LI L., LIU M., WANG M., DING M., DENG S., LU C., ZHOU X., SHEN X., ZHENG X., CHEN S. (2010). Hydrogen peroxide and nitric oxide mediate K<sup>+</sup>/Na<sup>+</sup> homeostasis and antioxidant defense in NaCl-stressed callus cells of two contrasting poplars. *Plant Cell, Tissue and Organ Culture*, 103: 205-215.
- TAN B. C., CHIN C. F., ALDERSON P. (2013). Effects of sodium nitroprusside on shoot multiplication and regeneration of *Vanilla planifolia* Andrews. *In Vitro Cellular & Developmental Biology - Plant* (In press).
- TUN N. N., HOLK A., SCHERER G. F. E. (2001). Rapid increase of NO release in plant cell cultures induced by cytokinin. *Federation of European Biochemical Societies Letters*, 509: 174-176.
- TUN N. N., SANTA-CATARINA C., BEGUM T., SILVEIRA V., HANDRO W., FLOH E. I. S., SCHERER G. F. E. (2006). Polyamines induce rapid biosynthesis of nitric oxide (NO) in *Arabidopsis thaliana* seedlings. *Plant Cell Physiology*, 47: 346-354.
- WANG R. (2002). Two's company, three's a crowd: can H<sub>2</sub>S be the third endogenous gaseous transmitter? *Federation of American Societies for Experimental Biology Journal*, 16: 1792-1798.
- WANN S. R., JOHNSON M. A., NOLAND T. L., CARLSON J. A. (1987). Biochemical differences between embryogenic and nonembryogenic callus of *Picea abies* (L.) Karst. *Plant Cell Reports*, 6: 39-42.
- WILKINSON S., DAVIES W. J. (2010). Drought, ozone, ABA and ethylene: new insights from cell to plant to community. *Plant, Cell and Environment*, 33: 510-525.
- XU J., YIN H., WANG W., MI Q., LIU X. (2009). Effects of sodium nitroprusside on callus induction and shoot regeneration in micro-propagated *Dioscorea opposita*. *Plant Growth Regulation*, 59: 279-285.
- XUAN W., ZHU F. Y., XU S., HUANG B. K., LING T. F., QI J. Y., YE M. B., SHEN W. B. (2008). The heme oxygenase/carbon monoxide system is involved in the auxin-induced cucumber adventitious rooting process. *Plant Physiology*, 148: 881-893.
- YAMASAKI H. (2005). The NO world for plants: achieving balance in an open system. *Plant, Cell and Environment*, 28: 78-84.
- ZHANG H., TANG J., LIU X. P., WANG Y., YU W., PENG W. Y., FANG F., MA D. F., WEI Z. J., HU L. Y. (2009). Hydrogen sulfide treatment promotes root organogenesis in *Ipomoea batatas*, *Salix matsudana* and *Glycine max*. *Journal of Integrative Plant Biology*, 51: 1086-1094.