

**PLANT REGENERATION FROM *IN VITRO* LEAF EXPLANTS
OF *PRUNUS PSEUDOCERASUS* LINDL.**

Qingrong Sun^{1*}, Hongyan Sun¹, Richard L. Bell², and Qiuzhu Guan¹

¹Shandong Institute of Pomology, 66 Longtan Road, Taian, 271000 Shandong, China,

*Fax: + 0538-8224076, *E-mail: sdipss@163.com

²Appalachian Fruit Research Station, USDA, ARS, Kearneysville, WV 25430-2771, USA

REFERENCES

- BENSON E. E. (2000). Special Symposium: *in vitro* plant recalcitrance. Do free radicals have a role in plant tissue culture recalcitrance? *In Vitro Cellular & Developmental Biology - Plant*, 36: 163-170.
- BHAGWAT B., LANE W. D. (2004). *In vitro* shoot regeneration from leaves of sweet cherry (*Prunus avium*) 'Lapins' and 'Sweetheart'. *Plant Cell, Tissue Organ Culture*, 78: 173-181.
- CHEN T., WANG X., TANG H., CHEN Q., HUANG X., CHEN J. (2013). Genetic diversity and population structure of Chinese Cherry revealed by chloroplast DNA trnQ-rps16 intergenic spacers variation. *Genetic Resources and Crop Evolution*, 60: 1859-1871.
- GRANT N. J., HAMMATT N. (2000). Adventitious shoot development from wild cherry (*Prunus avium* L.) leaves. *New Forests*, 20: 287-295.
- HAMMATT N., GRANT N. J. (1998). Shoot regeneration from leaves of *Prunus serotina* Ehrh. (black cherry) and *P. avium* L. (wild cherry). *Plant Cell Reports*, 17: 526-530.
- HUANG W., LIU Q., SUN Q., ZHAO H. (2006). Affecting factors of high frequency regeneration from *in vitro* leaf of cherry. *Journal of Agricultural Biotechnology*, 14: 822-823 (in Chinese).
- HUANG X., WANG X., CHEN T., CHEN J., TANG H. (2013). Research progress of germplasm diversity in Chinese cherry (*Cerasus pseudocerasus*). *Journal of Fruit Science*, 30: 470-479 (in Chinese).
- JAMES D. J., MACKENZIE K. A. D., MALHOTRA S. B. (1987). The induction of hexaploidy in cherry rootstocks using *in vitro* regeneration techniques. *Theoretical and Applied Genetics*, 73: 589-594.
- Jia H., Zhang X., Chen X., Zhao C. (2007). Survey of partial physiological index of cherry different cultivars. *Journal of Shandong Agricultural University (Natural Science)*, 38: 193-195 (in Chinese).
- LI J. H., QI X. J., LIANG S. M., MENG Y. Q., ZHENG X. L., QIU Y. Y. (2007). Chinese cherry cultivar 'Zhuji short-petiole cherry'. *Acta Horticulturae Sinica*, 34: 1065 (in Chinese).
- LI X., GAN Z. H., ZHOU Y. (1998). The exploitation and utilization of cherry (*Prunus pseudocerasus* Lindl) resources in Xixiang county of Shanxi province. *Resources Science*, 20: 74-80 (in Chinese).
- LIU X., PIJUT P. M. (2008). Plant regeneration from *in vitro* leaves of mature black cherry (*Prunus serotina*). *Plant Cell, Tissue and Organ Culture*, 94: 113-123.
- LOYD G. B., MCCOWN B. H. (1981). Commercially feasible micropropagation of mountain laurel, *Kalmia latifolia*, by use of shoot culture. *Combined Proceedings, International Plant Propagator's Society*, 30: 421-427.
- MATT A., JEHL J. A. (2005). *In vitro* plant regeneration from leaves and internode sections of sweet cherry cultivars (*Prunus avium* L.). *Plant Cell Reports*, 24: 468-476.
- MOTALLEBI A. R., SHARAFI Y. (2012). Effects of gamma irradiation times on some flowering characteristics and pest resistances in two almond (*Prunus amygdalus* L.) cultivars. *Russian Agricultural Sciences*, 38: 207-209.
- MUNA A. L. S., AHMAD A. K., MAHMOUD K., ABDUL-RAHMAN K. (1999). *In vitro* propagation of a semi-dwarfing cherry rootstock. *Plant Cell, Tissue and Organ Culture*, 59: 203-208.
- MURASHIGE T., SKOOG F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue culture. *Physiologia Plantarum*, 15: 473-497.
- NITSCH J. P., NITSCH C. (1969). Haploid plants from pollen grains. *Science*, 163: 85-87.
- PREDIERI S. (2001). Mutation induction and tissue culture in improving fruits. *Plant Cell, Tissue and Organ Culture*, 64: 185-210.
- QUOIRIN M., LEPOIVRE P. (1977). Improved media for *in vitro* culture of *Prunus* sp. *Acta Horticulturae*, 78: 437-442.
- SAS INSTITUTE, INC. (2012) SAS for Windows, Version 9.4. SAS Institute, Inc., Cary NC.
- SAXTON A. M. (1998). A macro for converting mean separation output to letter groupings in PROC MIXED. *Proceedings of the 23rd SAS Users Group International*. SAS Institute, Cary, NC, USA. 1243-1246.
- SCALTSOYIANNES A., TSULPHA P., ILIEV I., THERIOU K., TSAKTSIRA M., MITRAS D., KARANIKAS C., MAHMOUT S., CHRISTOPOULOS V., SCALTSOYIANNES V., ZARAGOTAS D., TZOUVARA A. (2009). Vegetative propagation of ornamental genotypes of *Prunus avium* L. *Propagation of Ornamental Plants*, 9: 198-206.
- SGAMMA T., THOMAS B., MULEO R. (2015). Ethylene inhibitor silver nitrate enhances regeneration and genetic transformation of *Prunus avium* (L.) cv. Stella. *Plant Cell, Tissue and Organ Culture*, 120: 79-88.
- SONG G. Q., SINK K. C. (2005). Optimizing shoot regeneration and transient expression factors for *Agrobacterium tumefaciens* transformation of sour cherry (*Prunus cerasus* L.) cultivar Montmorency. *Scientia Horticulturae*, 106: 60-69.
- STEEL R. G. D., TORRIE J. J. (1960). *Principles and Procedures of Statistics*. McGraw-Hill Co., Inc., New York, 277 pp.
- SUN Q. R., SUN H. Y., BELL R. L., LI L. G., XIN L., TAO J. H., LI Q. (2014). Optimisation of the media for *in vitro* shoot proliferation

- and root induction in three new cold-hardy and dwarfing or semi-dwarfing clonal apple rootstocks. *Journal of Horticultural Science & Biotechnology*, 89: 381-388.
- SUN Q., SUN H., BELL R. L., LI H., XIN L. (2011). Variation of phenotype, ploidy level, and organogenic potential of in vitro regenerated polyploids of *Pyrus communis*. *Plant Cell, Tissue and Organ Culture*, 107: 131-140.
- VUJOVIĆ T., CEROVIĆ R., RUŽIĆ D. (2012). Ploidy level stability of adventitious shoots of sour cherry 'Čačanski Rubin' and Gisela 5 cherry rootstock. *Plant Cell, Tissue and Organ Culture*, 111: 323-333.
- YANG H., SCHMIDT H. (1994). Selection of a mutant from adventitious shoots formed in X ray treated cherry leaves and differentiation of standard and mutant with RAPDs. *Euphytica*, 77: 89-92.
- ZHANG J., XU F., CHEN Z., ZHENG Y. (2012). Breeding of new cherry variety Manaohong in south China. *Guizhou Agricultural Science*, 40: 26-28 (in Chinese).
- ZHANG L., DUAN C. H., WANG F., ZHOU C. H., SHAN F. (2014). Selection of new cherry cultivar 'Chaozaohong'. *Shandong Forestry Science and Technology*, 3: 41-44 (in Chinese).