

REMOVAL OF DISTAL PART OF COTYLEDONS OR SOAKING IN BAP OVERCOMES EMBRYONIC DORMANCY IN SOUR CHERRY

Martin Jensen* and Kell Kristiansen

Department of Horticulture, Faculty of Agricultural Sciences, Aarhus University, Kirstinebjergvej 10,
DK-5792 Aarslev, Denmark, *Fax: +45 89993496, *E-mail: Martin.Jensen@agrsci.dk

REFERENCES

- ABOU-ZEID A. (1972). Embryoachsenkultur von Kirschen in flüssiger Nährlösung. *Gartenbauwissenschaft*, 37: 273-280.
- ABOU-ZEID A., GRUPPE W. (1972). Das Wachstum von Kirschenembryonen verschiedener Arten und Sorten in Abhängigkeit von dem Grad der Embryoentwicklung, Temperaturbehandlung und Nährmedien. *Gartenbauwissenschaft*, 37: 225-238.
- ABOU-ZEID A., HEDTRICH C. M., NEUMANN K. H. (1977). Untersuchungen zum Nachreifeprozess bei Samen von *Prunus avium*. *Angewandte Botanik*, 51: 37-45.
- ANONYMOUS (1989). SAS/STAT User's guide, Version 6, Fourth Edition, SAS Institute Inc., Cary, NC, 943 pp.
- BOUYON C., BULARD C. (1986). Heterogeneity of dormancy in apple embryos: A link with chlorophyll formation and content of abscisic acid. *Journal of Experimental Botany*, 37: 1643-1651.
- COME D. (1981/82). Problems of embryonal dormancy as exemplified by apple embryo. *Israel Journal of Botany*, 29: 145-156.
- DAVISON R. M., RUDNICKI R. M., BUKOVAC M. J. (1976). Endogenous plant growth substances in developing fruit of *Prunus cerasus* changes in inhibitor abscisic acid levels in the seed and pericarp. *Journal of the American Society for Horticultural Science*, 101: 519-523.
- ELLIS R. H., HONG T. D. (1985). *Prunus* seed germination and storage. In: Ellis R. H. (Ed.). Long-term seed storage of major temperate fruits, International Board for Plant Genetic Resources, Rome: 3-21.
- ELLIS R. H., HONG T. D., ROBERTS E. H. (1985). Handbook of seed technology for genebanks, Volume II. Compendium of specific germination information and test-recommendations. (Handbooks for Genebanks: No. 3). International Board for Plant Genetic Resources, Rome, 667 pp.
- FIDANC A., BAS M., BURAK M. (2008). Improved germination of hybrid '0900 Ziraat' sweet cherry seeds by a new method of stratification. *Acta Horticulturae*, 795: 79-82.
- FINCH-SAVAGE W. E., CLAY H. A., DENT K. C. (2002). Seed maturity affects the uniformity of cherry (*Prunus avium* L.) seed response to dormancy-breaking treatments. *Seed Science and Technology*, 30: 483-497.
- FLEMION F. (1934). Dwarf seedlings from non-after-ripened embryos of peach, apple and hawthorn. *Contributions from Boyce Thompson Institute*, 6: 205-209.
- HAVIS L., GILKESON A. L. (1949). Starting seedlings of Montmorency cherry. *Proceedings of the American Society of Horticultural Science*, 53: 216-218.
- HEIDE O. M. (2008). Interaction of photoperiod and temperature in the control of growth and dormancy of *Prunus species*. *Scientia Horticulturae*, 115: 309-314.
- ISTA (2005). International Rules for Seed Testing Edition 2005. Annexe to Chapter 5: Germination 5A. International Seed testing Association, Switzerland: 39.
- Jensen M., Eriksen E. N. (2001). Development of primary dormancy in seeds of *Prunus avium* during maturation. *Seed Science and Technology*, 29: 307-320.
- KRISTIANSEN K., JENSEN M. (2009). Towards new cultivars of Stevnsbær sour cherry in Denmark. *Acta Horticulturae*, 814: 277-283.
- LEE C., CHIEN C., LIN C., CHIU Y., YANG Y. (2006). Protein changes between dormant and dormancy-broken seeds of *Prunus campanulata* Maxim. *Proteomics*, 6: 4147-4154.
- LIN C. F., BOE A. A. (1972). Effects of some endogenous and exogenous growth regulators on plum seed dormancy. *Journal of the American Society of Horticultural Science*, 97: 41-44.
- MICHALSKA S. (1982). Embryonal dormancy and induction of secondary dormancy in seeds of mazzard cherry (*Prunus avium* L.). *Arboretum Kórnickie*, 27: 311-332.
- PERSSON L., JENSEN M., ERIKSEN E. N., MORTENSEN L. C. (2006). The effect of endocarp and endocarp splitting resistance on warm stratification requirement of hawthorn seeds (*Crataegus monogyna* L.). *Seed Science and Technology*, 34: 573-584.
- ROUSKAS D., HUGARD J. (1982). Possibilité d'utilisation d'une cytokinine seule ou associée a d'autres régulateurs de croissance pour lever la dormance des graines de rosacées fruitières de genre *Prunus*. *Fruits*, 37: 195-202.
- SCHUBERT J. (1994). Lagerung und Vorbehandlung von Saatgut wichtiger Baum und Straucharten. Eberswalde-Finow, LÖBF, NRW, Nordrhein Westfalen, 183 pp.
- STEPHEN J. R., DENT K. C., FINCH-SAVAGE W. E. (2004). Molecular responses of *Prunus avium* (wild cherry) embryonic axes to temperatures affecting dormancy. *New Phytologist*, 161: 401-413.
- SUSZKA B. (1967). Studies on dormancy and germination of seeds from various species of the genus *Prunus* L. *Arboretum Kórnickie*,

- SUSZKA B. (1964). Warm- gefolgt von Kaltstratifikation von Samen kultivierter Varietäten von Pflaumen und Süss – und Sauerkirschen. Arboretum Körnickie, 4: 237-261.
- TANG H., REN Z., KRCZAL G. (2000). Somatic embryogenesis and organogenesis from immature embryo cotyledons of three sour cherry cultivars (*Prunus cerasus* L.). Scientia Horticultura, 83: 109-126.
- THEVENOT C., COME D. (1973). Mise en evidence d'influence des cotyledons sur la levee de dormance et al germination de l'axe de l'embryon de pommier (*Pirus malus* L.) Physiologie Végétale, 11: 161-169.
- THEVENOT C., COME D. (1983). Physiological correlations between the axis and cotyledons in dormant embryos. Bulletin de la Societé Botanic Francaise. Actual. Bot., 130: 79-88.
- TUKEY H. B. (1933a). Embryo abortion in early-ripening varieties of *Prunus avium*. The Botanical Gazette, 94: 433-468.
- TUKEY H. B. (1933b). Artificial culture of sweet cherry embryos. Journal of Heredity, 24: 7-12.
- TUKEY H. B. (1934). Artificial culture methods for isolated embryos of deciduous fruits. Proceedings of the American Society for Horticultural Science, 32: 313-322.
- WEBSTER A. D. (1996). Propagation of sweet and sour cherries. In: Webster A. D., Looney N. E. (Eds). Cherries: Crop physiology, production and uses, CAB International, UK: 167-202.
- ZAGAJA S. W. (1962). After-ripening requirements of immature fruit tree embryos. Horticultural Research, 2: 19-34.