

INSIGHTS ON THE REGULATION OF THE SHOOT APICAL MERISTEM AND APPLICATIONS FOR ENHANCING PROPAGATION SYSTEMS

Mohamed Elhiti¹ and Claudio Stasolla*

Department of Plant Science, University of Manitoba, Winnipeg, R3T 2N2, Manitoba, Canada,

*Fax. + 1 204-474-7528, *E-mail: stasolla@ms.umanitoba.ca,

¹Current address: Department of Botany, Faculty of Science, Tanta University,
Tanta, Egypt, 31527

REFERENCES

- ALLEN G. S. (1947). Embryogeny and development of the apical meristems in *Pseudotsuga*. Development of the apical meristem. American Journal of Botany, 34: 204-211.
- BAKHSHAEI M., BABALAR M., MIRMASOUMI M., KHALIGHI A. (2010). Somatic embryogenesis and plant regeneration of *Lilium ledebourii* (Baker) Boiss., an endangered species. Plant Cell, Tissue and Organ Culture, 102: 229-235.
- BARTON M., POETHIG R. (1993). Formation of the shoot apical meristem in *Arabidopsis thaliana*: an analysis of development in the wild type and in the shoot meristemless mutant. Development, 119: 823-831.
- BARTON M. (2009). Twenty years on: The inner workings of the shoot apical meristem, a developmental dynamo. Developmental Biology, 24: 125-134.
- BELMONTE M., DONALD G., REID D. M., YEUNG E. C., STASOLLA C. (2005). Alterations of the glutathione redox state improve apical meristem structure and somatic embryo quality in white spruce (*Picea glauca*). Journal of Experimental Botany, 56: 2355-2364.
- BELMONTE M. F., TAHIR M., SCHROEDER D., STASOLLA C. (2007). Over-expression of HBK1, a class I KNOX homeobox gene, improves the development of Norway spruce (*Picea abies*) somatic embryos. Journal of Experimental Botany, 58: 2851-2861.
- CANHOTO J., RAMA S. C., CRUZ G. S. (2006). Somatic embryogenesis and plant regeneration in carob (*Ceratonia siliqua* L.). In Vitro Cellular and Developmental Biology-Plant, 42: 514-519.
- CERRUTI L., MIAN N., BATEMAN A. (2000). Domains in gene silencing and cell differentiation proteins: the novel PAZ domain and redefinition of the Piwi domain. Trends in Biochemical Sciences, 25: 481-482.
- CHE P., GINGERICH D. J., LALL S., HOWELL H. (2002). Global and hormone-induced gene expression changes during shoot development in *Arabidopsis*. Plant Cell, 14: 2771-2785.
- CHEN S.-K., KURDYUKOV S., KERESZT A., WANG X.-D., GRESSHOFF P. M., ROSE R. J. (2009). The association of homeobox gene expression with stem cell formation and morphogenesis in cultured *Medicago truncatula*. Planta, 230: 827-840.
- CLARK S., JACOBSEN S., LEVIN J., MEYEROWITZ E. (1996). The CLAVATA and SHOOT MERISTEMLESS loci competitively regulate meristem activity in *Arabidopsis*. Development, 122: 1567-1575.
- CLARK S., WILLIAMS R., MEYEROWITZ E. (1997). The CLAVATA1 gene encodes a putative receptor kinase that controls shoot and floral meristem size in *Arabidopsis*. Cell, 89: 575-585.
- DA-LING F., QING-RONG M., WEN-PING L., YONG-HONG H., MING L., AL-XIA G. (2010). Morphology of somatic embryogenesis and plantlet formation in tissue cultures of lantern tree (*Koelreuteria bipinnata* var. *integrifoliola*). Forestry Studies in China, 12: 31-36.
- DE REUILLE P. B., BOHN I., LJUNG K., MORIN H., CARRARO N., GODIN C., TRAAS J. (2006). Computer simulations reveal properties of the cell-cell signaling network at the shoot apex in *Arabidopsis*. Proceedings of the National Academy of Sciences (U.S.A.), 103: 1627-1632.
- DODSWORTH S. (2009). A diverse and intricate signaling network regulates stem cell fate in the shoot apical meristem. Developmental Biology, 336: 1-9.
- ELHITI M., TAHIR M., GULDEN R., KHAMISS K., STASOLLA C. (2010). Modulation of embryo-forming capacity in culture through the expression of *Brassica* genes involved in the regulation of the shoot apical meristem, Journal of Experimental Botany, 61: 4069-4085.
- FLETCHER J. (2002). Coordination of cell proliferation and cell fate decisions in the angiosperm shoot apical meristem. BioEssays, 24: 27-37.
- FU X., HARBERD N. P. (2003). Auxin promotes *Arabidopsis* root growth by modulating gibberellin response. Nature, 421: 740-743.
- GLOCKERA P., COLLINSA G., SEDGLEY M. (2006). 6-Benzylamino purine stimulates *in vitro* shoot organogenesis in *Eucalyptus erythronema*, *E. stricklandii* and their interspecific hybrids. Scientia Horticulturae, 109: 339-344.
- GORDON P., HEISLER M. C., REDDY G. V., OHNO C., DAS P., MEYEROWITZ E. M. (2007). Pattern formation during the *de novo* assembly of the *Arabidopsis* shoot meristem. Development, 134: 3539-3548.
- HABERLANDT G. (1902). Kulturversuche mit isolierten Pflanzenzellen. Sitzungsber. Akad. Wiss. Wien. Math-Naturwiss. Kl. Abt, 111: 69-92.
- HAY A., KAUR H., PHILLIPS A., HEDDED P., HAKE S., TSIANTIS M. (2002). The gibberellin pathway mediates KNOTTED1-type homeobox function in plants with different body plans. Current Biology, 12: 1557-1565.
- HAZARIKA B. N. (2006). Morpho-physiological disorders in *in vitro* culture of plants. Scientia Horticulture, 108: 105-120.
- HIGUCHI M., PISCHKE M. S., MAHONEN A. P., MIYAWAKI K., HASHIMOTO Y., SEKI M. (2004). In planta functions of the *Arabidopsis* cytokinin receptor family. Proceedings of the National Academy of Science (U.S.A.), 101: 8821-8826.
- HO C., JIAN W. T., LAI H. G. (2006). Plant regeneration via somatic embryogenesis from suspension cell culture of *Lilium* × *Formo-*

- longi HORT. Using a bioreactor system. *In Vitro Cellular and Developmental Biology-Plant*, 42: 240-246.
- HOHE A. (2010). Ambitious expectations: somatic embryogenesis in ornamental plant propagation. *Propagation of Ornamental Plants*, 10: 176-182.
- HUNTER D. A., YOO S. D., BUTCHER S. M., MCMANUS M. T. (1999). Expression of 1 aminocyclopropane-1-carboxylate oxidase during leaf ontogeny in white clover. *Plant Physiology*, 120: 131-141.
- JASINSKI S., PIAZZA P., CRAFT J., HAY A., WOLLEY L., RIEU I. (2005). KNOX action in *Arabidopsis* is mediated by coordinate regulation of cytokinin and gibberellin activities. *Current Biology*, 15: 1560-1565.
- JOHNSON M. A. (1951). The shoot apex in gymnosperms. *Phytomorphology*, 1: 188-204.
- KAUR N., PATI P. K., SHARMA M., AHUJA P. S. (2006). Somatic embryogenesis from immature zygotic embryos of *Rosa bourboniana* Desp. *In Vitro Cellular and Developmental Biology-Plant*, 42: 124-127.
- KERSTETTER R., VOLLBRECHT E., VOLLBRECHT E., LOWE B., VEIT B., YAMAGUCHI J., HAKE S. (1994). Sequence analysis and expression patterns divide the maize knotted1-like homeobox genes into two classes. *The Plant Cell*, 6: 1877.
- KIM S. W., OH S. C., IN D. S., LIU J. R. (2003). High frequency somatic embryogenesis and plant regeneration in zygotic embryo cultures of *Japanese honeysuckle*. *Plant Cell, Tissue and Organ Culture*, 72: 277-280.
- KONG L., YEUNG E. C. (1995). Effects of silver nitrate and polyethylene glycol on white spruce (*Picea glauca*) somatic embryo development: enhancing cotyledonary embryo formation and endogenous ABA content. *Physiologia Plantarum*, 93: 298-304.
- KONG L., ATTREE S. M., EVANS D. E., BINAROVA P., YEUNG E. C., FOWKE T. (1999). Somatic embryogenesis in white spruce: studies of embryo development and cell biology. *In: Jain S. M., Gupta P. K., Newton R. J. (Eds). Somatic embryogenesis of woody plants. Vol 4. Kluwer Academic Publisher. Dordrecht: 1-28.*
- KORAC S. Z., MILOJEVIC J., TUBIC L., DRAGOSAVAC D. C., MITIC N., VINTERHALTER B. (2010). Somatic embryogenesis and plant regeneration from root sections of *Allium schoenoprasum* L. *Plant Cell, Tissue and Organ Culture*, 101: 237-244.
- LAWSON R. H. (1996). Economic importance and trends in ornamental horticulture. *ISHS Acta Horticulturae*, 432: 226-237.
- LENHARD M., JÜRGENS G., LAUX T. (2002). The WUSCHEL and SHOOTMERISTEMLESS genes fulfill complementary roles in *Arabidopsis* shoot meristem regulation. *Development*, 129: 3195-3206.
- LI C. H., LIU B., KIM T. D., MOON H. K., CHOI Y. E. (2008). Somatic embryogenesis and plant regeneration in elite genotypes of *Picea koraiensis*. *Plant Biotechnology Report*, 2: 259-265.
- LIAO Y. K., LIAO C. K., HO Y. L. (2008). Maturation of somatic embryos in two embryogenic cultures of *Picea morrissonicola* Hayata as affected by alternation of endogenous IAA content. *Plant Cell, Tissue and Organ Culture*, 93: 257-268.
- LIN G. Z., ZHAO X. M., HONG S. K., LIAN Y. J. (2011). Somatic embryogenesis and shoot organogenesis in the medicinal plant *Pulsatilla koreana* Nakai. *Plant Cell, Tissue and Organ Culture*, 45: 345-365.
- LO SCHIAVO F., PITTO L., GIULIANO G., TORTI G., NUTI-RONCHI V., MARAZZITI D., VERGARA R., ORSELLI S., TERZI M. (1989). DNA methylation of embryogenic carrot cell cultures and its variations as caused by mutation, differentiation, hormones, and hypomethylating drugs. *Theoretical and Applied Genetics*, 77: 325-331.
- MA G., WU G. (2006). Direct shoot organogenesis from cotyledons of *Ochna integerrima* (Lour.) Merrill. *Propagation of Ornamental Plant*, 6: 145-148.
- MA G., JAIME A., DA SILVA J. A. T., LU J., ZHANG X., ZHAO J. (2011a). Shoot organogenesis and plant regeneration in *Metabriggsia ovalifolia*. *Plant Cell, Tissue and Organ Culture*, 34: 456-466.
- MA G., LU J., DA SILVA J. A. T., ZHANG X., ZHAO J. (2011b). Shoot organogenesis and somatic embryogenesis from leaf and shoot explants of *Ochna integerrima* (Lour). *Plant Cell, Tissue and Organ Culture*, 104: 157-162.
- MALTER A. J. (1995). The economic importance of ornamentals. Market Research Department, Ministry of Agriculture, Tel Aviv, Israel: 765-786.
- MAYER K., SCHOOF H., HAECKER A., LENHARD A., JURGENS G., LAUX T. (1998). Role of WUSCHEL in regulating stem cell fate in the *Arabidopsis* shoot meristem. *Cell*, 95: 805-815.
- MITHILA J., HALL J. C., VICTOR J. M., SAXENA P. K. (2003). Thidiazuron induces shoot organogenesis at low concentrations on leaf and petiole explants of African violet (*Saintpaulia ionantha* Wendl.) *Plant Cell Report*, 21: 408-414.
- MCCONNELL J., BARTON M. (1995) Effect of mutations in the PINHEAD gene of *Arabidopsis* on the formation of shoot apical meristems. *Developmental Genetics*, 16: 358-366.
- MONK M., BOUBELIK M., LEHNERT S. (1987). Temporal and regional changes in DNA methylation in the embryonic, *extra-embryonic* and germ cell lineages during mouse embryo development. *Development*, 99: 371-382.
- MORDHORST A. P., VOERMAN K. J., HARTOG M. V., MEIJER E. A., VAN WENT J., KOORNNEEF M., DE VRIES S. (1998). Somatic embryogenesis in *Arabidopsis thaliana* is facilitated by mutations in genes repressing meristematic cell division. *Genetics*, 149: 549-563.
- MOUSSIAN B., SCHOOF H., HAECKER A., JURGENS G., LAUX T. (1998). Role of the ZWILLE gene in the regulation of central shoot meristem cell fate during *Arabidopsis* embryogenesis. *The EMBO Journal*, 17: 1799-1809.
- MUJIB A., BANERJEE S., GHOSH P. D. (2007). Callus induction, somatic embryogenesis and chromosomal instability in tissue culture-raised *Hippeastrum* (*Hippeastrum hybridum* cv. United Nations). *Propagation of Ornamental Plants*, 7: 169-174.
- NAKANO M., TANAKA S., OOTA M., OOKAWA E., SUZUKI S., SAITO, H. (2003). Regeneration of diploid and tetraploid plants from callus-derived protoplasts of *Agapanthus praecox* ssp. *orientalis* (Leighton) Leighton. *Plant Cell, Tissue and Organ Culture*, 72: 63-69.
- OKKELS F. T. (1988). A theory explaining formation of somatic embryogenic cells by auxin-induced inhibition of DNA methylation. *Physiologia Plantarum*, 73, 11A.
- PRITCHARD N. H. (1964). A cytochemical study of embryo development in *Stellaria media*. *American Journal of Botany*, 51: 472-479.
- RAGHAVAN V. (1976). *Experimental embryogenesis in vascular plants*. Academic Press. London: 45-48.
- RAMESAR-FORTNER N. S., YEUNG E. C. (2001). Tri-iodobenzoic acid affects shoot apical meristem formation and function in zygotic embryos of *Brassica napus* cv. Topas. *Canadian Journal of Botany*, 79: 265-273.
- RAMESAR-FORTNER N. S., YEUNG E. C. (2006). Physiological influences in the development and function of the shoot apical meristem

- of microspore-derived embryos of *Brassica napus* cv. Topas. *Botany*, 84: 371-383.
- REINERT J. (1958). Morphogenese and ihre kontrolle an gewebeulturen aus carotten. *Naturwissenschaften*, 45: 344-345
- ROUT G. R., MOHAPATRA A., JAIN S. M. (2006). Tissue culture of ornamental pot plant: a critical review on present scenario and future prospects. *Biotechnology Advances*, 24: 531-560.
- SANTOS D., FEVEREIRO P. (2002). Loss of DNA methylation affects somatic embryogenesis in *Medicago truncatula*. *Plant Cell, Tissue and Organ Culture*, 70: 155-161.
- SCHOOF H., LENHARD M., HAECKER A., MAYER A., JURGENS G., LAUX T. (2000). The stem cell population of *Arabidopsis* shoot meristems is maintained by a regulatory loop between the CLAVATA and WUSCHEL genes. *Cell*, 100: 635-644.
- SEO J., KIM S. W., MIN S. R., LIU J. R. (2007). High frequency somatic embryogenesis and plant regeneration in root explant cultures of carnation. *Plant Biotechnology Report*, 1: 67-70.
- SHEN X., CHEN J., KANE M. E., HENNEY R. J. (2007). Assessment of somaclonal variation in *Diffenbachia* plants regenerated through indirect shoot organogenesis. *Plant Cell, Tissue and Organ Culture*, 91: 21-27.
- SPURR A. R. (1947). Histogenesis and organization of the embryo in *Pinus strobus*. *American Journal of Botany*, 36: 629-642.
- STEEVES T., SUSSEX I. (1989). *Patterns in plant development* Cambridge University Press: 165-167.
- SWAMY B. G. L., HRISHNAMURTHY M. (1997). Certain conceptual aspects of meristems. Epiphysis and shoot meristem. *Phytomorphology*, 27: 1-8.
- TAHIR M., STASOLLA C. (2006). Shoot apical development during *in vitro* embryogenesis. *Canadian Journal of Botany*, 84: 1650-1659.
- TAHIR M., LAW D. A., STASOLLA C. (2006). Molecular characterization of PgAGO, a novel conifer gene of the ARGONAUTE family expressed in the apical cells and required for somatic embryo development in spruce. *Tree Physiology*, 26: 1197-1206.
- TAKAGI H., SUGAWARA S., SAITO T., TASAKI H., YUANXUE L., KAIYUN G., HAN D. S., GODO T., NAKANO M. (2011). Plant regeneration via direct and indirect adventitious shoot formation and chromosome-doubled somaclonal variation in *Titanotrichum oldhamii* (Hemsl.) Solereder. *Plant Biotechnology Report*, 4: 234-243.
- TUCKER M., HINZE A., TUCKER E., TAKADA S., JURGENS G., LAUX T. (2008). Vascular signaling mediated by ZWILLE potentiates WUSCHEL function during shoot meristem stem cell development in the *Arabidopsis* embryo. *Development*, 135: 2839-2843
- VEIT B. (2009). Hormone mediated regulation of the shoot apical meristem. *Plant Molecular Biology*, 69: 397-408.
- VERGNE P., MAENE M., GABANT G., CHAUVET A., DEBENE T., BENDAHMANE M. (2010). Somatic embryogenesis and transformation of the diploid *Rosa chinensis* cv. Old Blush. *Plant Cell, Tissue and Organ Culture*, 100: 73-81.
- VERNOUX T., AUTRAN D., TRAAS J. (2000). Developmental control of cell division patterns in the shoot apex. *Plant Molecular Biology*, 43: 569-581.
- VIDOZ M. L., KLUSACEK P., REY H. Y., MROGINSKI L. A. (2006). *In vitro* plant regeneration of *Arachis correntina* (Leguminosae) through somatic embryogenesis and organogenesis. *Plant Cell, Tissue and Organ Culture*, 86: 111-115.
- WERNER T., MOTYKA V., LAUCOU V., SMETS R., VAN ONCKELEN H., SCHMULLING T. (2003). Cytokinin-deficient transgenic *Arabidopsis* plants show multiple developmental alterations indicating opposite functions of cytokinins in the regulation of shoot and root meristem activity. *Plant Cell*, 15: 2532-2550.
- WOESTE K. E., VOGEL J. P., KIEBER J. J. (1999). Factors regulating ethylene biosynthesis in etiolated *Arabidopsis thaliana* seedlings. *Physiologia Plantarum*, 105: 478-484.
- YANG J. L., ZHAO B., SEONG E. S., KIM M. J., KANG W. H., KIM N. Y., YU C. Y., LI C. H. (2010). Callus induction and high-efficiency plant regeneration via somatic embryogenesis in *Papaver nudicaule* L., an ornamental medicinal plant. *Plant Biotechnology Report*, 4: 261-267.
- YEUNG E. C., RAHMAN M. H., THORPE T. A. (1996). Comparative development of zygotic and microspore-derived embryos in *Brassica napus*. *International Journal of Plant Science*, 157: 27-39.
- YEUNG E. C., STASOLLA C., KONG L. (1998). Apical meristem formation during zygotic embryo development of white spruce. *Canadian Journal of Botany*, 76: 751-761.
- ZHANG Q., CHEN J., HENNY R. J. (2006). Regeneration of *Syngonium podophyllum* 'Variegatum' through direct somatic embryogenesis. *Plant Cell, Tissue and Organ Culture*, 84: 181-188.
- ZHANG C. X., LI Q., KONG L. (2007). Induction, development and maturation of somatic embryos in Bunge's pine (*Pinus bungeana* Zucc. ex Endl.). *Plant Cell, Tissue and Organ Culture*, 91: 273-280.
- ZUO J., FRUGIS Q.-W., CHUA N.-H. (2002). The WUSCHEL gene promotes vegetative to embryonic transition in *Arabidopsis*. *Plant Journal*, 30: 349-359.