

## REVIEW OF DOUBLED HAPLOIDY METHODOLOGIES IN ORNAMENTAL SPECIES

Alison M. R. Ferrie\* and Karen L. Caswell

Plant Biotechnology Institute – National Research Council, 110 Gymnasium Place, Saskatoon, SK, Canada, \*Fax: + 1 306 975-4839, \*E-mail: Alison.Ferrie@nrc-cnrc.gc.ca

### REFERENCES

- ABO EL-NIL M. M., HILDEBRANDT A. C. (1973). Origin of androgenetic callus and haploid geranium plants. *Canadian Journal of Botany*, 51: 2107-2109.
- AHMIN M., VIETH J. (1986). Regeneration of haploid plants of *Gerbera jamesonii* by ovules cultivated *in vitro*. *Canadian Journal of Botany*, 64: 2355-2357.
- ARZATE-FERNÁNDEZ A.-M., NAKAZAKI T., YAMAGATA H., TANISAKA T. (1997). Production of doubled-haploid plants from *Lilium longiflorum* Thunb. anther culture. *Plant Science*, 123: 179-187.
- BABBAR S. B., MITTAL A., GUPTA S. C. (1980). *In vitro* induction of androgenesis, callus formation and organogenesis in *Iberis amara* Linn. anthers. *Zeitschrift für Pflanzenzüchtung*, 100: 409-414.
- BAJAJ Y. P. S. (1981). Regeneration of plants from ultra-low frozen anthers of *Primula obconica*. *Scientia Horticulturae*, 14: 93-95.
- BASTAR M. T., HUNOLD R., BOHANEK B. (2006). Attempts of gynogenic haploid induction in New Guinea Impatiens. *In: Touraev A., Forster B. (Eds). Haploids in higher plants conference, Vienna, Austria, February 12-15, 2006: 50.*
- BLAKESLEE A. F., BELLING J., FARNHAM M. E., BERGNER A. D. (1922). A haploid mutant in the Jimson weed, *Datura stramonium*. *Science*, 55: 646-647.
- BOHANEK B. (2006). Mechanisms of gynogenesis. *In: Touraev A., Forster B. (Eds). Haploids in higher plants conference, Vienna, Austria, February 12-15, 2006: 18.*
- CANHOTO J. M., LUDOVINA M., GUIMARAES S., CRUZ G. S. (1990). *In vitro* induction of haploid, diploid and triploid plantlets by anther culture of *Iochroma warscewiczii* Regel. *Plant Cell, Tissue and Organ Culture*, 21: 171-177.
- CAPPADOCIA M., CHRETIEN L., LAUBLIN G. (1988). Production of haploids in *Gerbera jamesonii* via ovule culture: influence of fall versus spring sampling on callus formation and shoot regeneration. *Canadian Journal of Botany*, 66: 1107-1110.
- CHASE S. S. (1951). Efficient methods of developing and improving inbred lines. The monoploid method of developing inbred lines. Report of 6<sup>th</sup> hybrid corn industry research conference: 29-34.
- CHEN J. F., CUI L., MALIK A. A., MBIRA K. G. (2011). *In vitro* haploid and dihaploid production via unfertilized ovule culture. *Plant Cell, Tissue and Organ Culture*, 104: 311-319.
- CHEN L. J., ZHU X. Y., GU L., WU J. (2005). Efficient callus induction and plant regeneration from anther of Chinese narcissus (*Narcissus tazetta* L. var. *chinensis* Roem). *Plant Cell Reports*, 24: 401-407.
- CHU C. C. (1978). The N6 medium and its applications to anther culture of cereal crops. *Proceedings of the Symposium on Plant Tissue Culture, Beijing, China, Science Press: 43-50.*
- COUMANS M., ZHONG D. (1995). Doubled haploid sunflower (*Helianthus annuus*) plant production by androgenesis: fact or artifact? Part 2. *In vitro* isolated microspore culture. *Plant Cell, Tissue and Organ Culture*, 41: 203-209.
- CUSTERS J., RIKSEN T. (2006). Microspore embryogenesis successfully established in ornamentals; *Anemone*, *Tulipa*, *Zantedeschia* and *Delphinium*. *In: Touraev A., Forster B. (Eds). Haploids in higher plants conference, Vienna, Austria, February 12-15, 2006: 66.*
- DAKER M. G. (1966). 'Kleine Liebbling' a haploid cultivar of *Pelargonium*. *Nature*, 211: 549-550.
- DEBATA B. K., PATNAIK S. N. (1983). *In vitro* culture of anther of *Crotalaria pallida* Ait. for induction of haploid. *Indian Journal of Experimental Biology*, 21: 44-46.
- DEVAUX P., ZIVY M., KILLIAN A., KLEINHOF A. (1996). Doubled haploids in barley. *In: Scoles G., Rosnagel B. (Eds). Proceedings of the V International Oat Conference and VII International Barley Genetics Symposium. University of Saskatchewan, Saskatoon, Canada: 213-222.*
- DEVERNA J. W., COLLINS G. B. (1984). Maternal haploids of *Petunia axillaris* (Lam.) B.S.P. via culture of placenta attached ovules. *Theoretical and Applied Genetics*, 69: 187-192.
- DIETERT M. F., BARRON S. A., YODER O. C. (1982). Production and culture of microspore-derived plants of *Tradescantia paludosa*. *Environmental and Experimental Botany*, 22: 211-220.
- DIEU P., DUNWELL J. M. (1988). Anther culture with different genotypes of opium poppy (*Papaver somniferum* L.): effect of cold treatment. *Plant Cell, Tissue and Organ Culture*, 12: 263-271.
- DOI H., TAKAHASHI R., HIKAGE T., TAKAHATA Y. (2010). Embryogenesis and doubled haploid production from anther culture in gentian (*Gentiana triflora*). *Plant Cell, Tissue and Organ Culture*, 102: 27-33
- DOI H., YOKOI S., HIKAGE T., NISHIHARA M., TSUTSUMI K., TAKAHATA Y. (2011). Gynogenesis in gentians (*Gentiana triflora*, *G. scabra*): production of haploids and doubled haploids. *Plant Cell Reports*, DOI 10.1007/s00299-011-1017-y.
- DOLCET-SANJUAN R., CLAVERÍA E., LLAURADÓ M., ORTIGOSA A., ARÚS P. (2001). Carnation (*Dianthus caryophyllus* L.) dihaploid lines resistant to *Fusarium oxysporum* F. sp. *Dianthi*. *Acta Horticulturae*, 560: 141-144.
- DORLE U. P., KULKARNI A. R. (1984). Anther culture for production of pollen haploids in *Tropaeolum majus* Linn. *Current Science*,

- DUNWELL J. M. (2010). Haploids in flowering plants: origins and exploitation. *Plant Biotechnology Journal*, 8: 377-424.
- ECKHAUT T., WERBROUCK S., DENDAUW J., VAN BOCKSTAELE E., DEBERGH P. (2001). Induction of homozygous *Spathiphyllum wallisii* genotypes through gynogenesis. *Plant Cell, Tissue and Organ Culture*, 67: 181-189.
- ELOOMA P., HONKAANEN J., PUSKA R., SEPPANEN P., HELARIUTTA Y., MEHTO M., NEVALAINEN L., TEERI T. H. (1993). *Agrobacterium*-mediated transfer of antisense chalcone synthase cDNA to *Gerbera hybrida* inhibits flower pigmentation. *Bio/Technology*, 11: 505-511.
- FERRIE A. M. R., CASWELL K. L. (2011). Isolated microspore culture techniques and recent progress for haploid and doubled haploid plant production. *Plant Cell, Tissue and Organ Culture*, 104: 301-309.
- FERRIE A. M. R., KELLER W. A. (1995). Microspore culture for haploid plant production. In: Gamborg O. L., Phillips G. C. (Eds). *Plant Cell, Tissue and Organ Culture. Fundamental methods*, Springer-Verlag, Berlin: 155-164.
- FU X., YANG S., BAO M. (2008). Factors affecting somatic embryogenesis in anther cultures of Chinese pink (*Dianthus chinensis* L.). *In Vitro Cellular & Developmental Biology-Plant*, 44: 194-202.
- GAMBORG O. L., MILLER R. A., OJIMA K. (1968). Nutrient requirements of suspension cultures of soybean root cells. *Experimental Cell Research*, 50: 151-158.
- GEORGIEV G., CHAVDAROV I. (1974). The anther culture – a new method of producing haploid plants. *Genetika i Seleksiia*, 7: 404-415 (in Bulgarian).
- GERMANA M. A. (2011a). Anther culture for haploid and doubled haploid production. *Plant Cell, Tissue and Organ Culture*, 104: 283-300.
- GERMANA M. A. (2011b). Gametic embryogenesis and haploid technology as valuable support to plant breeding. *Plant Cell Reports*, DOI 10.1007/s00299-011-1061-7.
- GU Z. P., CHENG K. C. (1982). Studies on induction of pollen plantlets from the anther cultures of lily. *Acta Botanica Sinica*, 24: 28-32.
- GU Z. P., CHENG K. C. (1983). *In vitro* induction of haploid plantlets from unpollinated young ovaries of lily and its embryological observations (*Lilium davidii*). *Acta Botanica Sinica*, 25: 24-28.
- GUHA S., MAHESHWARI S. C. (1964). *In vitro* production of embryos from anthers of *Datura*. *Nature*, 204: 497.
- GUPTA P. P. (1982). Genesis of microspore-derived triploid petunias. *Theoretical and Applied Genetics*, 61: 327-331.
- GUREL A., KONTOWSKI S., NICTERLEIN K., FRIEDT W. (1991a). Embryogenesis in microspore culture of sunflower (*Helianthus annuus* L.). *Helia*, 14: 123-128.
- GUREL A., NICTERLEIN K., FRIEDT W. (1991b). Shoot regeneration from anther culture of sunflower (*Helianthus annuus*) and some interspecific hybrids as affected by genotype and culture procedure. *Plant Breeding*, 106: 68-76.
- HAN D.-S., NIIMI Y., NAKANO M. (1997). Regeneration of haploid plants from anther cultures of the Asiatic hybrid lily 'Connecticut King'. *Plant Cell, Tissue and Organ Culture*, 47: 153-158.
- HEYWOOD V. H., BRUMMITT R. K., CULHAM A., SEBERG O. (2007). *Flowering plant families of the world*. Firefly Books, Richmond Hill, Ontario, Canada, 424 pp.
- HORLOW C., HAMZA S., CHUPEAU Y., PELLETIER G. (1996). Conditional lethal markers: spontaneous haploid selection in plants. In: Jain S. M., Sopory S. K., Veilleux R. E. (Eds). *In vitro* haploid production in higher plants, vol. 1, Kluwer Academic Publishers, Dordrecht, The Netherlands: 297-315.
- HUGHES K. W., BELL S. L., CAPONETTI J. D. (1975). Anther-derived haploids of the African violet. *Canadian Journal of Botany*, 53:1442-1444.
- INAGAKI M. N. (2003). Doubled haploid production in wheat through wide hybridization. In: Maluszynski M., Kasha K. J., Forster B. P., Szarejko I. (Eds). *Doubled haploid production in crop plants: a manual*. Kluwer Academic Publishers, Dordrecht: 53-58.
- ISHIZAKI H. (1998). Production of microspore-derived plants by anther culture of an interspecific F<sub>1</sub> hybrid between *Cyclamen persicum* and *C. purpurascens*. *Plant Cell, Tissue and Organ Culture*, 54: 21-28.
- ISHIZAKI H., UEMATSU J. (1993). Production of plants from pollen in *Cyclamen persicum* Mill. through anther culture. *Japanese Journal of Breeding*, 43: 207-218.
- JELERČIĆ J., BASTAR M. T., HUNOLD R., BOHANEC B. (2006). Studies of gynogenic haploid induction in *Mimulus aurantiacus* – Progress report. In: Touraev A., Forster B. (Eds). *Haploids in higher plants conference*, Vienna, Austria, February 12-15, 2006: 51.
- JOHANSSON L., ANDERSSON B., ERIKSSON T. (1982). Improvement of anther culture technique: Activated charcoal bound in agar medium and elevated CO<sub>2</sub> concentration. *Physiologia Plantarum*, 54: 24-30.
- JOHANSSON L., ERIKSSON T. (1977). Induced embryo formation in anther cultures of several Anemone species. *Physiologia Plantarum*, 40: 172-174.
- JOHANSSON L. B., CALLEBERG E., GEDIN A. (1990). Correlations between activated charcoal, Fe-EDTA and other organic media ingredients in cultured anthers of *Anemone canadensis*. *Physiologia Plantarum*, 80: 243-249.
- KANWAR J. K., KUMAR S. (2008). *In vitro* propagation of *Gerbera* - a review. *Horticultural Sciences*, 35: 35-44.
- KASHA K. J., KAO K. N. (1970). High frequency haploid production in barley (*Hordeum vulgare* L.). *Nature*, 225: 874-876.
- KASHA K. J., ZIAUDDIN A., CHO U.-H. (1990). Haploids in cereal improvement: anther and microspore culture. In: Gustafson J. P. (Ed.). *Gene manipulation in plant improvement II*. Plenum Press, New York: 213-236.
- KATO M., SUGA T., TOKUMASU S. (1980). Effects of 2,4-D and NAA on callus formation and haploid production in anther culture of *Pelargonium roseum*. *Memoirs of the College of Agriculture Ehime University*, 24: 85-93.
- KERNAN Z., FERRIE A. M. R. (2006). Microspore embryogenesis and the development of a double haploidy protocol for cow cockle (*Saponaria vaccaria*). *Plant Cell Reports*, 25: 274-280.
- KHODER M., VILLEMUR P., JONARD R. (1984). Obtention de plantes monoploides et triploides par androgenese *in vitro* chez le *Begonia* × *hiemalis* Fotsch cv. (A). *Bulletin de la Société Botanique de France*, Paris, 131: 43-48.
- KHUSH G. S., VIRMANI S. (1996). Haploids in plant breeding. In: Jain S. M., Sopory S. K., Veilleux R. E. (Eds). *In vitro* haploid production in higher plants, vol. 1, Kluwer Academic Publishers, Dordrecht, The Netherlands: 11-33.

- LAURA M., SAFAVERDI G., ALLAVENA A. (2006). Androgenetic plants of *Anemone coronaria* derived through anther culture. *Plant Breeding*, 125: 629-634.
- LAURIE D. A., BENNETT M. D. (1986). Wheat × maize hybridization. *Canadian Journal of Genetics and Cytology*, 28: 313-316.
- LEE B. K., KO J. A., KIM Y. S. (1992). Studies on the thidiazuron treatment of anther culture of *Paeonia albiflora*. *Journal of the Korean Society for Horticultural Science*, 33: 384-395.
- LICHTER R. (1982). Induction of haploid plants from isolated pollen of *Brassica napus*. *Zeitschrift für Pflanzenzuchtung*, 105: 427-434.
- LIM K. Y., WERLEMARK G., MATYASEK R., BRINGLOE J. B., SIEBER V., EL MOKADEM H., MEYNET J., HEMMING J., LEITCH A. R., ROBERTS A. V. (2005). Evolutionary implications of permanent odd polyploidy in the stable sexual, pentaploid of *Rosa canina* L. *Heredity*, 94: 501-506.
- MALHOTRA K., MAHESHWARI S. C. (1977). Enhancement by cold treatment of pollen embryoid development in *Petunia hybrida*. *Zeitschrift für Pflanzenzuchtung*, 85: 177-180.
- MALUSZYNSKI M., KASHA K. J., FORSTER B. P., SZAREJKO I. (2003). Doubled haploid production in crop plants: a manual. Kluwer Academic Publishers, The Netherlands, 428 pp.
- MARTINEZ L. D., DE HALAC I. N. (1995). Organogenesis of anther-derived calluses in long-term cultures of *Oenothera hookeri* de Vries. *Plant Cell, Tissue and Organ Culture*, 42: 91-96.
- MARUTA I., MATSUMOTO E. (1989). Induction of haploid plants from anther culture in *Gentiana* sp. *Bulletin of the Nagano Vegetable and Ornamental Crops Experimental Station Japan*, 5: 51-55 (in Japanese).
- MEYNET J., BARRADE R., DUCLOS A., SIADOUS R. (1994). Dihaploid plants of roses (*Rosa × hybrid* cv. Sonia) obtained by parthenogenesis induced using irradiated pollen and *in vitro* culture of immature seeds. *Agronomie*, 2: 169-175.
- MEYNET J., DUCLOS A. (1990). *In vitro* culture of Persian buttercup (*Ranunculus asiaticus* L.) II. Production of plants through *in vitro* anther culture. *Agronomie*, 10: 213-218.
- MEYNET J., SIBI M. (1984). Haploid plants from *in vitro* culture of unfertilized ovules in *Gerbera jamesonii*. *Zeitschrift für Pflanzenzuchtung*, 93: 78-85.
- MİYOSHI K., ASAKURA N. (1996). Callus induction, regeneration of haploid plants and chromosome doubling in ovule cultures of pot gerbera (*Gerbera jamesonii*). *Plant Cell Reports*, 16: 1-5.
- MORRISON G. (1932). The occurrence and use of haploid plants in tomato with especial reference to the variety marglobe. In: Jones D. F. (Ed.). *Proceeding of 6<sup>th</sup> International Congress on Genetics*, 2: 137.
- MOSQUERA T., RODRÍGUEZ L. E., PARRA A., RODRÍGUEZ M. (1999). *In vitro* adventive regeneration from carnation (*Dianthus caryophyllus*) anthers. *Acta Horticulturae*, 482: 305-308.
- MURASHIGE T., SKOOG F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiologia Plantarum*, 15: 473-497.
- MUROVEC J., STAJNER N., JAKSE J., JAVORNIK B. (2007). Microsatellite marker for homozygosity testing of putative doubled haploids and characterization of *Mimulus* species derived by a cross-genera approach. *Journal of the American Society for Horticultural Science*, 132: 659-663.
- NAGARAJU V., SRINIVAS G. S. L., LAKSHMI SITA G. (1998). *Agrobacterium*-mediated genetic transformation in *Gerbera hybrida*. *Current Science*, 71: 630-634.
- NITSCH J. P., NITSCH C. (1969). Haploid plants from pollen grains. *Science*, 163: 85-87.
- NOMIZU T., NIIMI Y., HAN D.-S. (2004). Haploid plant regeneration via embryogenesis from anther cultures of *Hepatica nobilis*. *Plant Cell, Tissue and Organ Culture*, 79: 307-313.
- NONTASWATSRI C., RUAMRUNGRI S., FUKAI S. (2008). Callus induction and plant regeneration of *Dianthus chinensis* L. and *Dianthus barbatus* L. via anther culture. *Acta Horticulturae*, 788: 109-114.
- O'DONOUGHUE L. S., BENNETT M. D. (1994). Durum wheat haploid production using maize wide crossing. *Theoretical and Applied Genetics*, 89: 559-566.
- ONO K., HARASHIMA S. (1981). Induction of haploid callus from isolated microspores of Peony *in vitro*. *Plant and Cell Physiology*, 22: 337-341.
- PATHIRANA R., FREW T., HEDDERLEY D., TIMMERMAN-VAUGHAN G., MORGAN E. (2011). Haploid and doubled haploid plants from developing male and female gametes of *Gentiana triflora*. *Plant Cell Reports*, DOI 10.1007/s00299-011-01012-3.
- PEDROSO M. C., PAIS M. S. (1994). Induction of microspore embryogenesis in *Camellia japonica* L., cv. Elegans. *Plant Cell, Tissue and Organ Culture*, 37: 129-136.
- PEDROSO M. C., PAIS M. S. (1997). Anther and microspore culture in *Camellia japonica*. In: Jain S. M., Sopory S. K., Veilleux R. E. (Eds). *In Vitro haploid production in higher plants*. Kluwer Academic Publishers, Dordrecht, Netherlands: 89-107.
- PRAKASH J., GILES K. L. (1986). Production of doubled haploids in oriental lily. In: Horn W., Jensen C. J., Oldenbach W., Schieder O. (Eds). *Genetic manipulation in plant breeding*. Walter de Gruyter & Co. Berlin: 335-337.
- QU Y., MOK M. C., MOK D. W. S., STANG J. R. (1988). Phenotypic and cytological variation among plants derived from anther cultures of *Lilium longiflorum*. *In Vitro Cellular & Developmental Biology-Plant*, 24: 471-476.
- RACHMAWATI F. (2005). Kultur anther pada Anthurium (*Anthurium andreaeanum* Linden ex andre). MSc. Thesis. Departemen Agronomi dan Hortikultura Fakultas Pertanian Institut Pertanian Bogor, Halaman, Indonesia, 146 pp.
- RAO P. V. L., DE D. N. (1987). Haploid plants from *in vitro* anther culture of the leguminous tree, *Peltophorum pterocarpum* (DC) K. Hayne (copper pod). *Plant Cell, Tissue and Organ Culture*, 11: 167-177.
- RAQUIN C. (1983). Utilization of different sugars as carbon source for *in vitro* anther culture of *Petunia*. *Zeitschrift für Pflanzenzuchtung*, 111: 453-457.
- RAQUIN C. (1985). Induction of haploid plants by *in vitro* culture of *Petunia* ovaries pollinated with irradiated pollen. *Zeitschrift für Pflanzenzuchtung*, 94: 166-169.
- RAZDAN A., RAZDAN M. K., RAJAM V., RAINA S. N. (2008). Efficient protocol for *in vitro* production of androgenic haploids of *Phlox*

- drummondii*. Plant Cell, Tissue and Organ Culture, 95: 245-250.
- RINES H. W. (2003) Oat haploids from wide hybridization. In: Maluszynski M., Kasha K. J., Forster B. P., Szarejko I. (Eds). Doubled haploid production in crop plants. Kluwer Academic Publishers, Dordrecht, The Netherlands: 155-159.
- SAJI K. V., SUJATHA M. (1998). Embryogenesis and plant regeneration in anther culture of sunflower (*Helianthus annuus* L.). Euphytica, 103: 1-7.
- SAN NOËUM L. H. (1976). Haploïdes d'*Hordeum vulgare* L. par culture *in vitro* d'ovaries non fécondes. Annales De L'Amélioration Des Plantes, 26: 751-754.
- SANGWAN R. S., NORREEL B. S. (1975). Induction of plants from pollen grain of *Petunia* cultured *in vitro*. Nature (London), 257: 222-224.
- SATO S., KATO H., YOSHIDA H., IWAI S., HAGIMORI M. (2000). Production of doubled haploid plants of carnation (*Dianthus caryophyllus* L.) by pseudofertilized ovule culture. Scientia Horticulturae, 83: 301-310.
- SESTILI S., FICCADENTI N. (1996). Irradiated pollen for haploid production. In: Jain S. M., Sopory S. K., Veilleux R. E. (Eds). In vitro haploid production in higher plants, vol. 1, Kluwer Academic Publishers, Dordrecht, Netherlands: 263-274.
- SHARP W. R., RASKIN R. S., SOMMER H. E. (1971). Haploidy in *Lilium*. Phytomorphology, 21: 334-337.
- TABAEIZADEH Z., KHOSH-KHUI M. (1981). Anther culture of *Rosa*. Scientia Horticulturae, 15: 61-66.
- THEILER-HEDTRICH R., HUNTER C. S. (1996). Microspore culture in chicory (*Cichorium intybus* L.). In: Jain S. M., Sopory S. K., Veilleux R. E. (Eds). In vitro haploid production in higher plants, vol. 3, Kluwer Academic Publishers, Dordrecht, Netherlands: 99-113.
- THOMAS W. T. B., FORSTER B. P., GERTSSON B. (2003). Doubled haploids in breeding. In: Maluszynski M., Kasha K. J., Forster B. P., Szarejko I. (Eds). Doubled haploid production in crop plants: A manual. Kluwer Academic Publishers, Dordrecht: 337-349.
- TODOROVA M., IVANOV P., SHINDROVA P., CHRISTOV M., IVANOVA I. (1997). Doubled haploid production of sunflower (*Helianthus annuus* L.) through irradiated pollen-induced parthenogenesis. Euphytica 97: 249-254.
- TOKUMASU S., KATO M. (1979). Variation of chromosome numbers and essential oil components of plants derived from anther culture of the diploid and the tetraploid in *Pelargonium roseum*. Euphytica, 28: 329-338.
- TOSCA A., ARCARA L., FRANGI P. (1999). Effect of genotype and season on gynogenesis efficiency in *Gerbera*. Plant Cell, Tissue and Organ Culture, 59: 77-80.
- TOSCA A., LOMBARDI M., MARINONI L., CONTI L., FRANGI P. (1990). Genotype response to *in vitro* gynogenesis technique in *Gerbera jamesonii*. Acta Horticulturae, 280: 337-340.
- VAN DEN BULK R. W., VAN TUYL J. M. (1997). *In vitro* induction of haploid plants from gametophytes of lily and tulip. In: Jain S. M., Sopory S. K., Veilleux R. E. (Eds). In vitro haploid production in higher plants, vol. 5, Kluwer Academic Publishers, Dordrecht, Netherlands: 73-88.
- VASSILEVA-DRYANOVSKA O. A. (1966a). The induction of haploid embryos and tetraploid endosperm nuclei with irradiated pollen in *Lilium*. Heredity, 55: 160-165.
- VASSILEVA-DRYANOVSKA O. A. (1966b). Development of embryo and endosperm produced after irradiation of pollen in *Tradescantia*. Hereditas, 55: 129-148.
- WEATHERHEAD M. A., GROUT B. W. W., SHORT K. C. (1982). Increased haploid production in *Saintpaulia ionantha* by anther culture. Scientia Horticulturae, 17: 137-144.
- WEI Z., QIANG F., XIGANG D., MANZHU B. (2008). The culture of isolated microspores of ornamental kale (*Brassica oleracea* var. *acephala*) and the importance of genotype to embryo regeneration. Scientia Horticulturae, 117: 69-72.
- WIJOWSKA M., KUTA E., PRZYWARA L. (1999). *In vitro* culture of unfertilized ovules of *Viola odorata* L. Acta Biologica Cracoviensis, 41: 95-101.
- WINARTO B., RACHMAWATI F., PRAMANIK D., TEIXEIRA DA SILVA J. A. (2010). Morphological and cytological diversity of regenerants derived from half-anther cultures of *Anthurium*. Plant Cell, Tissue and Organ Culture, DOI 10.1007/s11240-010-9876-4.
- WISSERMAN V., MÖLLERS C., HELLWIG F. W. (1996). Microspore and anther culture in the genus *Rosa*, investigations and current status. Angewandte Botanik, 70: 218-220.
- WOLFF D. W., VEILLEUX R. E., JENSEN C. J. (1986). Evaluation of anther-derived *Streptocarpus* × *hybridus* and their progeny. Plant Cell, Tissue and Organ Culture, 6: 167-172.
- YANG J., ENDO M., INADA I. (2005). Anther and microspore culture of Chrysanthemum (*Dendranthema grandiflorum* (Ramat.) Kitam.). Journal of the Japanese Society of Horticultural Science, 74:78-86.
- YANG Y. Q., WEI W. X. (1984). Induction of longan haploid plantlets from pollen cultured in certain proper media. Acta Genetica Sinica, 11: 288-293.
- ZHAO F.-C., NILANTHI D., YANG Y.-H., WU H. (2006). Anther culture and haploid plant regeneration in purple coneflower (*Echinacea purpurea* L.). Plant Cell Reports, 86: 55-62.
- ZHANG X., WU Q., LI X., ZHENG S., WANG S., GUO L., ZHANG L., CUSTERS J. B. M. (2011). Haploid plant production in *Zantedeschia aethiopica* 'Hong Gan' using anther culture. Scientia Horticulturae, 129: 335-342.
- ZHONG D., MICHAUX-FERRIERE N., COUMANS M. (1995). Assay for doubled haploid sunflower (*Helianthus annuus*) plant production by androgenesis: fact or artifact? Part 1. *In vitro* anther culture. Plant Cell, Tissue and Organ Culture, 41: 91-97.