

IN VITRO PROPAGATION OF TROPICAL HARDWOOD TREE SPECIES – A REVIEW (2001-2011)

**Paula M. Pijut^{1*}, Rochelle R. Beasley², Shaneka S. Lawson², Kaitlin J. Palla²,
Micah E. Stevens², and Ying Wang²**

¹USDA Forest Service, Northern Research Station, Hardwood Tree Improvement and Regeneration Center (HTIRC), 715 West State Street, West Lafayette, Indiana, USA 47907

*Fax: + 1-765-494-9461, *E-mail: ppijut@purdue.edu

²Purdue University, Department of Forestry and Natural Resources, HTIRC, 715 West State Street, West Lafayette, Indiana, USA 47907

REFERENCES

- ABBADÉ L. C., PAIVA P. D. O. P., PAIVA R. (2010). Germinação de sementes de ipê-branco em diferentes substratos e meios de cultura. *Tabebuia roseo-alba*. *Magistra*, Cruz das Almas-BA, 22: 162-167.
- AI P., LUO Z. (2005). Cryopreservation of dormant vegetative buds and genetic stability analysis of regenerated plantlets in persimmon. *Acta Horticulturae*, 685: 85-92.
- AKULA C., AKULA A., DREW R. (2003). Somatic embryogenesis in clonal neem, *Azadirachta indica* A. Juss. and analysis for *in vitro* Azadirachtin production. *In Vitro Cellular & Developmental Biology-Plant*, 39: 304-310.
- ANIS M., HUSAIN M. K., SHAHZAD A. (2005). *In vitro* plantlet regeneration of *Pterocarpus marsupium* Roxb., an endangered leguminous tree. *Current Science*, 88: 861-863.
- ANJANEYULU C., SHYAMKUMAR B., GIRI C. C. (2004). Somatic embryogenesis from callus cultures of *Terminalia chebula* Retz.: an important medicinal tree. *Trees*, 18: 547-552.
- APURVA P., THAKUR P. C. (2009). Somatic embryogenesis and root proliferation from internode of *Anthocephalus cadamba* *in vitro*. *Asian Journal of Experimental Sciences*, 23: 99-102.
- ARORA K., SHARMA M., SRIVASTAVA J., RANADE S. A., SHARMA A. K. (2010). Rapid *in vitro* cloning of a 40-year old tree of *Azadirachta indica* A. Juss. (Neem) employing nodal stem segments. *Agroforestry Systems*, 78: 53-63.
- AZAD M. A. K., YOKOTA S., ISHIGURI F., YAHARA S., YOSHIZAWA N. (2005). Large-scale clonal propagation of *Cinnamomum camphora* (L.) Nees and Eberm. *Bulletin Utsunomiya University Forestry*, 41: 101-109.
- BALARAJU K., AGASTIAN P., IGNACIMUTHU S., PARK K. (2011). A rapid *in vitro* propagation of red sanders (*Pterocarpus santalinus* L.) using shoot tip explants. *Acta Physiologiae Plantarum*, 33: 2501-2510.
- BENELLI C., DE CARLO A., GIORDANI E., PECCHIOLI S., BELLINI E., KOCHANOVA Z. (2009). Vitrification/one-step freezing procedure for cryopreservation of persimmon dormant bud. *Acta Horticulturae*, 833: 163-168.
- BENSON E. E. (2008). Cryopreservation of phytodiversity: a critical appraisal of theory and practice. *Critical Reviews in Plant Sciences*, 27: 141-219.
- BERNARD F., SHAKER-BAZARNOV H., KAVIANI B. (2002). Effects of salicylic acid on cold preservation of encapsulated embryonic axes of Persian lilac (*Melia azedarach* L.). *Euphytica*, 123: 85-88.
- BINKLEY D., MENYAILO O. (2005). Tree species effects on soils: Implications for global change. *NATO Science Series*, Kluwer Academic Publishers, Dordrecht, 371 pp.
- BORTHAKUR A., DAS S. C., KALITA M. C., SEN P. (2011). *In vitro* plant regeneration from apical buds of *Albizia odoratissima* (L.f.) Benth. *Advances in Applied Science Research*, 2: 457-464.
- BRUNETTA J. M. F. C., OTONI W. C., PINHEIRO A. L., FONSECA É. P. (2006). Calogênese *in vitro* em segmentos de epicótilo de mogno (*Swietenia macrophylla* King) com uso de 6-benzilaminopurina e ácido α -naftalenoacético. *Scientia Forestalis*, 71: 19-24.
- CAMERON S. I. (2010). Plant regeneration in Spanish cedar, *Cedrela odorata* L., using zygotic embryo explants from mature seed and improvement of embryogenic nodule initiation by heat shock. *In Vitro Cellular & Developmental Biology-Plant*, 46: 126-133.
- CARVALHO C. P. S., CORREIA D., BENBADIS A. K., LUZ J. M. Q., ROSSETTI A. G. (2002). Cultura *in vitro* de segmentos nodais de *Spondias mombin* L.). *Revista Brasileira de Fruticultura*, 24: 776-777.
- CERDAS L. V., GUZMÁN L. A. (2004). Organogênese *in vitro* en *Dalbergia retusa* (Papilionaceae). *In vitro* organogenesis of *Dalbergia retusa* (Papilionaceae). *Revista de Biologia Tropical*, 52: 41-46.
- CHABUKSWAR M. M., DEODHAR M. A. (2005). Rooting and hardening of *in vitro* plantlets of *Garcinia indica* Chois. *Indian Journal of Biotechnology*, 4: 409-413.
- CHABUKSWAR M. M., DEODHAR M. A. (2006). Restoration of rooting competence in a mature plant of *Garcinia indica* through serial shoot tip grafting *in vitro*. *Scientia Horticulturae*, 108: 194-199.
- CHALUPA V. (1981). Clonal propagation of broad-leaved forest trees *in vitro*. *Communications Institute Forestry Czechoslovakia*, 12: 255-271.
- CHAND S., SINGH A. J. (2004). *In vitro* shoot regeneration from cotyledonary node explants of a multipurpose leguminous tree, *Pterocarpus marsupium* Roxb. *In Vitro Cellular & Developmental Biology-Plant*, 40: 167-170.
- CHAND S., SINGH A. K. (2004). Plant regeneration from encapsulated nodal segments of *Dalbergia sissoo* Roxb., a timber-yielding leguminous tree species. *Journal of Plant Physiology*, 161: 237-243.

- CHAND S., SINGH A. K. (2005). Plant regeneration from semi-mature zygotic embryos of *Dalbergia sissoo* Roxb. Indian Journal of Biotechnology, 4: 78-81.
- CHAPMAN C. A., CHAPMAN L. J., JACOB A. L., ROTHMAN J. M., OMEJA P., REYNA-HURTADO R., HARTTER J., LAWES M. J. (2010). Tropical tree community shifts: implications for wildlife conservation. Biological Conservation, 143: 366-374.
- CHATURANI G. D. G., SUBASINGHE S., JAYATILLEKE M. P. (2006). *In-vitro* establishment, germination and growth performance of red sandalwood (*Pterocarpus santalinus* L.). Tropical Agricultural Research and Extension, 9: 116-130.
- CHATURVEDI R., RAZDAN M. K., BHOJWANI S. S. (2004a). *In vitro* clonal propagation of an adult neem (*Azadirachta indica* A. Juss.) by forced axillary branching. Plant Science, 166: 501-506.
- CHATURVEDI H. C., SHARMA M., SHARMA A. K., JAIN M., AGHA B. Q., GUPTA P. (2004b). *In vitro* germplasm preservation through regenerative excised root culture for conservation of phyto diversity. Indian Journal of Biotechnology, 3: 305-315.
- CHAVARRI M., GARCÍA A. V., ZAMBRANO A. Y., GUTIÉRREZ Z., DEMEY J. R. (2010). Insertion of *Agrobacterium rhizogenes rolB* gene in mango. Interciencia, 35: 521-525.
- CHEN L., ZHENG Y., LI Q., ZHANG Z. (2005). Study of cryopreservation on *Cinnamomum cassia* excised embryos. Scientia Silvae Sinicae, 41: 38-44.
- CHEN Y. C., CHANG C. (2009). Plant regeneration through somatic embryogenesis from young leaves of *Cinnamomum kanehirae* Hayata. Taiwan Journal of Forest Science, 24: 117-125.
- CHEN Y., CAO F-L., LI S-X., DAO D-W., XU C-P. (2010). Establishment of highly efficient regeneration system with different explants of *Sapium sebiserum in vitro*. Acta Botanica Boreali-Occidentalia Sinica, 30, 12: 2542-2549 (in Chinese).
- CHENNAVEERAI AH G. M., MALLESHAPPA M., RANGAPPA K. (2006). Micropropagation of *Melia azedarach* - an important folk medicinal plant. Journal of Medicinal and Aromatic Plant Sciences, 28: 355-358.
- CHISHA-KASUMI E., PRICE A. H., WOODWARD S. (2006). *In vitro* shoot multiplication and rooting from seedling explants of *Pterocarpus angolensis* in Zambia. Southern African Forestry Journal, 208: 31-37.
- CHITTORA M., SUTHAR R. K., PUROHIT S. D. (2010). Root colonization and improved growth performance of micropropagated *Terminalia bellerica* Roxb. plantlets inoculated with *Piriformospora indica* during *ex vitro* acclimatization. Acta Horticulturae, 865: 193-198.
- CHUDNOFF M. (1984). Tropical timbers of the world. Agriculture Handbook 607. United States Department of Agriculture, Forest Service, Washington, DC, 464 pp.
- COLLADO R., BARBÓN R., AGRAMONTE D., JIMÉNEZ, F., PÉREZ M., GUTIÉRREZ O., RAMÍREZ D. (2004). Establecimiento *in vitro* de ápices y segmento nodales de *Swietenia macrophylla* King. Biotecnología Vegetal, 4: 143-146.
- COLLADO R., BARBÓN R., AGRAMONTE D., JIMÉNEZ F., PÉREZ M., GUTIÉRREZ O. (2005). Germinación de embriones somáticos de *Swietenia macrophylla* en medios de cultivo semisólidos. Biotecnología Vegetal, 5: 17-21.
- COLLADO R., BARBÓN R., AGRAMONTE D., JIMÉNEZ-TERRY F., PÉREZ M., GUTIÉRREZ O. (2010). Indirect somatic embryogenesis of *Swietenia macrophylla* King in semisolid culture medium. Biotecnología Vegetal, 10: 177-184.
- DANTHU P., DIAITÉ-SANOGO D., SAGNA M., SAGNA P., DIA-GASSAMA Y. K. (2003). Micropropagation of *Khaya senegalensis*, an African mahogany from dry tropical zones. Journal of Tropical Forest Science, 15: 164-175.
- DAQUINTA M., CID M., LEZCANO Y., PINA D., RODRIGUEZ R. (2004). Formación de callos a partir de inflorescencias inmaduras en Cedro y Caoba híbrida. Biotecnología Vegetal, 4: 121-124.
- DAS P. (2011). *In vitro* somatic embryogenesis in some oil yielding tropical tree species. American Journal of Plant Sciences, 2: 217-222.
- DAS S., RAY S., DEY S., DASGUPTA S. (2001). Optimisation of sucrose, inorganic nitrogen and abscisic acid levels for *Santalum album* L. somatic embryo production in suspension culture. Process Biochemistry, 37: 51-56.
- DHILLON R. S., SINGH S., SEHRAWAT A. R., AYRA S., HUSSAIN Z. (2005). Callus induction and plant regeneration from anthers of *Azadirachta indica*. Journal of Tropical Forest Science 17: 121-126.
- DIFFENBAUGH N. S., SCHERER M. (2011). Observational and model evidence of global emergence of permanent, unprecedented heat in the 20th and 21st centuries. Climate Change, 107: 615-624.
- DRIVER J. A., KUNIYUKI A. H. (1984). *In vitro* propagation of Paradox walnut rootstock. HortScience, 19: 507-509.
- DU L., BAO M. (2005). Plant regeneration from protoplasts isolated from embryogenic suspension cultured cells of *Cinnamomum camphora* L. Plant Cell Reports, 24: 462-467.
- DU L., ZHOU S., BAO M-Z. (2007). Effect of plant growth regulators on direct somatic embryogenesis in camphor tree (*Cinnamomum camphora* L.) from immature zygotic embryos and embryogenic calli induction. Forestry Studies in China, 9: 267-271.
- DU L., PANG, Z., ZHOU S., ZENG X., BAO M. (2008). Establishment of *Agrobacterium* mediated transformation system of embryogenic calli of *Cinnamomum camphora*. Scientia Silvae Sinicae, 44: 54-59.
- DUERY S., VLOSKY R. P. (2006). An overview of world tropical hardwood resources, forest products trade and environmental issues. Louisiana Forest Products Development Center Working Paper #74, Louisiana State University Agricultural Center, 23 pp.
- FAJIMI O., SARUMI M. B., OLAYODE M. N., GAMRA E. O., SANUSI S. I. (2007). *In vitro* propagation of *Irvingia gabonensis*. African Journal of Biotechnology, 6: 976-978.
- FAO (2001). Promotion of valuable hardwood plantations in the tropics. A global overview. Report based on the work of F.K. Odum. Forest Plantation Thematic Papers, Working Paper 4. Forest Resources Development Service, Forest Resources Division. FAO, Rome, 21 pp.
- FETT-NETO A. G., FETT J. P., VIEIRA GOULART L. W., PASQUALI G., TERMIGNONI R. R., FERREIRA A. G. (2001). Distinct effects of auxin and light on adventitious root development in *Eucalyptus saligna* and *Eucalyptus globulus*. Tree Physiology, 21: 457-464.
- FLÓREZ-RAMOS C. P., BUITRAGO M. E., LENTINI Z., COCK J. (2007). Somatic embryogenesis and plantlet regeneration of mango (*Mangifera indica* L.). Acta Horticulturae, 738: 443-445.
- FOAN C. C., OTHMAN R. Y. (2006). *In vitro* direct shoot organogenesis and regeneration of plantlets from leaf explants of Sentang (*Azadirachta excelsa*). Biotecnología Vegetal, 5: 337-340.
- FOTSO, DONFAGSITELI T. N., MBOUNA D., OMOKOLO N. D. (2004). Propagation de *Ricinodendron heudelotii* par bouturage *in vitro*.

- Fruits, 59: 351-358.
- FOTSO, DONFAGSITELI T. N., MBOUNA D., OMOKOLO N. D. (2007a). *In vitro* regeneration of *Ricinodendron heudelotii*. Cahiers Agricultures, 16: 31-36.
- FOTSO, DONFAGSITELI T. N., SANNONE, OMOKOLO N. D. (2007b). Efecto de fitohormonas exógenas sobre la evolución de ciertos parámetros bioquímicos durante la embriogenesis de células somáticas de *Ricinodendron heudelotii* Baill. Fruits, 62: 303-315.
- FOTSO, OUMAR, NIEMENAK N., TCHINDA N. D., NDOUMOU D. O. (2008a). *In vitro* regeneration of *Irvingia gabonensis* by somatic embryogenesis. Pakistan Journal of Biological Sciences, 11: 726-732.
- FOTSO, SANONNE, TCHINDA N. D., NDOUMOU D. O. (2008b). Comparaison des premières étapes de l'embryogenèse somatique chez *Baillonella toxisperma* et *Vitellaria paradoxa* (Sapotacées). Biotechnology, Agronomy Society and Environment, 12: 131-138.
- GAIRI A., RASHID A. (2005). Direct differentiation of somatic embryos on cotyledons of *Azadirachta indica*. Biologia Plantarum, 49: 169-173.
- GAMBORG O. L., MILLER R. A., OJIMA K. (1968). Nutrient requirements of suspension cultures of soybean root cells. Experimental Cell Research, 50: 151-158.
- GANGOPADHYAY G., DAS S., MITRA S. K., PODDAR R., MODAK B. K., MUKHERJEE K. K. (2002). Enhanced rate of multiplication and rooting through the use of coir in aseptic liquid culture media. Plant Cell, Tissue and Organ Culture, 68: 301-310.
- GIRIJASHANKAR V. (2011). Genetic transformation of eucalyptus. Physiology and Molecular Biology of Plants, 17: 9-23.
- GONZÁLEZ-RODRIGUEZ J. A., PEÑA-RAMÍREZ Y. J. (2007). Establishment of efficient protocols for massive propagation of tropical trees from Mesoamerica through somatic embryogenesis: *Cedrela odorata*, *Swietenia macrophylla*, *Cybistax donnell-smithii*, *Crescentia cujete* and *Cordia dodecandra*. Acta Horticulturae, 748: 229-235.
- GONZÁLEZ-RODRIGUEZ J. A., RAMÍREZ-GARДУZA F., ROBERT M. L., O'CONNOR-SÁNCHEZ A., PEÑA-RAMÍREZ Y. J. (2010). Adventitious shoot induction from adult tissues of the tropical timber tree yellow Ipé primavera (*Tabebuia donnell-smithii* rose [Bignoniaceae]). In Vitro Cellular & Developmental Biology-Plant, 46: 411-421.
- GTWPTN. Global Timber and Wood Products Trade Network. (2011). Access: <http://www.globalwood.org/>
- GYVES E. M., ROYANI J. I., RUGINIA E. (2007). Efficient method of micropropagation and *in vitro* rooting of teak (*Tectona grandis* L.) focusing on large-scale industrial plantations. Annals of Forest Science, 64: 73-78.
- HANDRO W., FLOH E. I. S. (2001). Neo-formation of flower buds and other morphogenetic responses in tissue cultures of *Melia azedarach*. Plant Cell, Tissue and Organ Culture, 64: 73-76.
- HUBNER H. I., SILVA L. V., CAPATTI I., FUMAGALI E., SOTO E. R., GONCALVES R. A. C., OLIVEIRA A. J. B. (2007). Multiplicação *in vitro* de *Aspidosperma ramiflorum* Muell. Arg. (Apocynaceae). Acta Scientiarum Health Science, 29: 63-66.
- HUNG C. D., TRUEMAN S. J. (2011a). *In vitro* propagation of the African mahogany *Khaya senegalensis*. New Forests, 42: 117-130.
- HUNG C. D., TRUEMAN S. J. (2011b). Encapsulation technology for short-term preservation and germplasm distribution of the African mahogany *Khaya senegalensis*. Plant Cell, Tissue and Organ Culture, 107: 397-405.
- HUSAIN M. K., ANIS M. (2009). Rapid *in vitro* multiplication of *Melia azedarach* L. (a multipurpose woody tree). Acta Physiologiae Plantarum, 31: 765-772.
- HUSAIN M. K., ANIS M., SHAHZAD A. (2007). *In vitro* propagation of Indian Kino (*Pterocarpus marsupium* Roxb.) using thidiazuron. In Vitro Cellular & Developmental Biology-Plant, 43: 59-64.
- HUSAIN M. K., ANIS M., SHAHZAD A. (2008). *In vitro* propagation of a multipurpose leguminous tree (*Pterocarpus marsupium* Roxb.) using nodal explants. Acta Physiologiae Plantarum, 30: 353-359.
- HUSAIN M. K., ANIS M., SHAHZAD A. (2010). Somatic embryogenesis and plant regeneration in *Pterocarpus marsupium* Roxb. Trees, 24: 781-787.
- ISMAN M. B. (2005). Tropical forests as sources of natural insecticides. In: Arnason J. T., Abou-Zaid M., Romeo J. T. (Eds). Recent advances in phytochemistry, Vol. 39, Chemical ecology and phytochemistry of forests and forest ecosystems, Elsevier: 145-161.
- ITTO. International Tropical Timber Organization. (2011). Statistics database. Access: http://www.itto.int/annual_review_output/
- IUCN. International Union for Conservation of Nature (2011). Red list of threatened species, Version 2011.2. Access: <http://www.iucnredlist.org>
- JAIN N., BABBAR S. B. (2002). Gum-katira – a cheap gelling agent for plant tissue culture media. Plant Cell, Tissue and Organ Culture, 71: 223-229.
- JAIN R., BABBAR S. B. (2006). Xanthan gum: an economical substitute for agar in plant tissue culture media. Plant Cell Reports, 25: 81-84.
- JOSHI I., BISHT P., SHARMA V. K., UNIYAL D. P. (2003). Studies on effect of nutrient media for clonal propagation of superior phenotypes of *Dalbergia sissoo* Roxb. through tissue culture. Silvae Genetica, 52: 143-147.
- KAVIANI B. (2007). Effects of salicylic acid and encapsulation on enhancing resistance of embryonic axes of Persian lilac (*Melia azedarach* L.) against cryopreservation. International Journal of Agriculture and Biology, 9: 625-627.
- KAVIANI B. (2010). Cryopreservation by encapsulation-dehydration for long-term storage of some important germplasm: seed of lily (*Lilium ledebourii* (Baker) Bioss), embryonic axe of Persian lilac (*Melia azedarach* L.), and tea (*Camellia sinensis* L.). Plant Omics Journal, 3: 177-182.
- KONG L., DAI D., SHANG M., LI K., ZHANG C. X. (2009). Thidiazuron-induced somatic embryos, their multiplication, maturation, and conversion in *Cinnamomum pauciflorum* Nees (Lauraceae). New Forests, 38: 131-142.
- KOZAI T., KUBOTA C. (2001). Developing a photoautotrophic micropropagation system for woody plants. Journal of Plant Research, 114: 525-537.
- KRISHNA H., SINGH S. K. (2007). Biotechnological advances in mango (*Mangifera indica* L.) and their future implication in crop improvement – a review. Biotechnology Advances, 25: 223-243.
- LAVANYA M., VENKATESHWARLU B., DEVI B. P. (2009). Acclimatization of neem microshoots adaptable to semi-sterile conditions. Indian Journal of Biotechnology, 8: 218-222.

- LOYD G., MCCOWN B. (1980). Commercially-feasible micropropagation of mountain laurel, *Kalmia latifolia*, by use of shoot-tip culture. Combined Proceedings of the International Plant Propagators Society, 30: 421-427.
- MALIK S. K., CHAUDHURY R., KALIA R. K. (2005). Rapid *in vitro* multiplication and conservation of *Garcinia indica*: a tropical medicinal tree species. Scientia Horticulturae, 106: 539-553.
- MALIK S. K., KALIA R. K., CHAUDHURY R. (2010). *In vitro* regeneration of *Garcinia indica* using leaf explants. Indian Journal of Plant Physiology, 15: 262-266.
- MAMUN A. N. K., MATIN M. N., BARI M. A., SIDDIQUE N. A., SULTANA R. S., RAHMAN M. H., MUSA A. S. M. (2004). Micropropagation of woody legume (*Albizia lebbek*) through tissue culture. Pakistan Journal of Biological Sciences, 7: 1099-1103.
- MARTÍNEZ PASTUR G., ARENA M., CURVETTO N., ZAPPACOSTA D., ELIASCO E. (2003). Successive media to improve the *in vitro* rhizogenesis of *Nothofagus nervosa* (Phil.) Dim. et Mil. New Forests, 26: 201-215.
- MARTÍNEZ PASTUR G., ARENA M., HERNÁNDEZ L., CURVETTO N., ELIASCO E. (2005). Histological events during *in vitro* rooting of *Nothofagus nervosa* (Fagaceae). New Zealand Journal of Botany, 43: 61-70.
- MARTÍNEZ PASTUR G., ARENA M. E., BENAVIDES M. P., ELIASCO E., CURVETTO N. (2007). Role of polyamines during *in vitro* rhizogenesis of *Nothofagus nervosa* using successive culture media. New Forests, 34: 83-93.
- MARTINS L., LAGO A. A., ANDRADE A. C. S., SALES W. R. M. (2009). Conservação de sementes de ipê-roxo (*Tabebuia impetiginosa* (Mart. ex DC.) Standl.) em nitrogênio líquido. Revista Brasileira de Sementes, 31: 71-76.
- MARUYAMA T. E. (2009). Polyethylene glycol improves somatic embryo maturation in big-leaf mahogany (*Swietenia macrophylla* King, Meliaceae). Bulletin of Forestry and Forest Products Research Institute, 8: 167-173.
- MARZALINA M. (2002). Cryopreservation techniques for the long-term storage of mahogany (*Swietenia macrophylla*) seeds. Journal of Tropical Forest Science, 14: 525-535.
- MATSUMOTO T., MOCHIDA K., ITAMURA H., SAKAI A. (2001). Cryopreservation of persimmon (*Diospyros kaki* Thunb.) by vitrification of dormant shoot tips. Plant Cell Reports, 20: 398-402.
- MILLÁN-OROZCO L., CORREDOIRA E., SAN JOSÉ M. C. (2011). *In vitro* rhizogenesis: histoanatomy of *Cedrela odorata* (Meliaceae) microcuttings. Revista de Biología Tropical, 59: 447-453.
- MINH T. V. (2005). Application of tissue culture techniques in woody species conservation, improvement and development in Vietnam: mangosteen (*Garcinia mangostana* L.) via embryogenesis culture. Acta Horticulturae, 692: 33-36.
- MROGINSKI M., REY H. (2007). Cryopreservation of plant germplasm in Argentina. CryoPlanet, 1st meeting of working group 2, Florence, Abstract book: 62-63.
- MUCHUGI A., KADU C., KINDT R., KIPRUTO H., LEMURT S., OLALE K., NYADOI P., DAWSON I., JAMNADASS R. (2008). Molecular markers for tropical trees, A practical guide to principles and procedures. Dawson I., Jamnadass R. (Eds). ICRAF Technical Manual No. 9, Nairobi: World Agroforestry Centre, 100 pp.
- MUJIB A. (2005). *In vitro* regeneration of Sandal (*Santalum album* L.) from leaves. Turkish Journal of Botany, 29: 63-67.
- MURASHIGE T., SKOOG F. (1962). A revised medium for rapid growth and bio assays with tobacco tissue culture. Physiologia Plantarum, 15: 473-497.
- NADARAJAN J., STAINES H. J., BENSON E. E., MARZALINA M., KRISHNAPILLAY B., HARDING K. (2006). Optimization of cryopreservation protocol for *Sterculia cordata* zygotic embryos using Taguchi experiments. Journal of Tropical Forest Science, 18: 222-230.
- NADARAJAN J., STAINES H. J., BENSON E. E., MARZALINA M., KRISHNAPILLAY B., HARDING K. (2007). Optimization of cryopreservation for *Sterculia cordata* zygotic embryos using vitrification techniques. Journal of Tropical Forest Science, 19: 79-85.
- NAIK D., VARTAK V., BHARGAVA S. (2003). Provenance- and subculture-dependent variation during micropropagation of *Gmelina arborea*. Plant Cell, Tissue and Organ Culture, 73: 189-195.
- NAIR L. G., SEENI S. (2003). *In vitro* multiplication of *Calophyllum apetalum* (Clusiaceae), an endemic medicinal tree of the Western Ghats. Plant Cell, Tissue and Organ Culture, 75: 169-174.
- NAKHOODA M., WATT M. P., MYCOCK D. (2011). Auxin stability and accumulation during *in vitro* shoot morphogenesis influences subsequent root induction and development in *Eucalyptus grandis*. Plant Growth Regulation, 65: 263-271.
- NAVAL M. M., LLÁCER G., BADENES M. L., GIORDANI E. (2009). Adventitious shoot regeneration from leaf explants of the persimmon (*Diospyros kaki* Thunb.) cv. ‘Rojo Brillante’. Acta Horticulturae, 833: 183-186.
- NERY M. C., CARVALHO M. L. M., OLIVEIRA L. M., NERY F. C., SILVA D. G. (2008). Germinação *in vitro* e *ex vitro* de embriões/sementes de *Tabebuia serratifolia* (VAHL) Nich. Cerne, Lavras, 14: 1-8.
- NIRMAL BABU K., SAJINA A., MINOO D., JOHN C. Z., MINI P. M., TUSHAR K. V., REMA J., RAVINDRAN P. N. (2003). Micropropagation of camphor tree (*Cinnamomum camphora*). Plant Cell, Tissue and Organ Culture, 74: 179-183.
- NOOR N. M., KEAN C. W., VUN Y. L., MOHAMED-HUSSEIN Z. A. (2011). *In vitro* conservation of Malaysian biodiversity-achievements, challenges and future directions. In Vitro Cellular & Developmental Biology-Plant, 47: 26-36.
- NOR AINI A. S., GOH B. L., RIDZUAN R. (2009). The effects of different indole-3-butyric acid (IBA) concentrations, two light regimes of *in vitro* rooting and acclimatization of *in vitro* teak (*Tectona grandis* L.f) plantlets. African Journal of Biotechnology, 8: 6158-6161.
- NORMAH M. N. (2000). *In vitro* techniques for multiplication and conservation of *Garcinia mangostana*, *Lansium domesticum* and *Baccaurea polyneura*-woody tropical fruit species. Agro Food Industry Hi Tech: 2-4.
- NORMAH M. N., CLYDE M. M., CHO E. G., RAO V. R. (2002). *Ex situ* conservation of tropical rare fruit species. Acta Horticulturae, 575: 221-230.
- NUNES E., CASTILHO C. V., MORENO F. N., VIANA A. M. (2002). *In vitro* culture of *Cedrela fissilis* Vellozo (Meliaceae). Plant Cell, Tissue and Organ Culture, 70: 259-268.
- NUNES E., BENSON E. E., OLTRAMARI A. C., ARAUJO P. S., MOSER J. R., VIANA A. M. (2003). *In vitro* conservation of *Cedrela fissilis* Vellozo (Meliaceae), a native tree of the Brazilian Atlantic Forest. Biodiversity and Conservation, 12: 837-848.
- NUNES E. C., LAUDANO W. L. S., MORENO F. N., CASTILHO C. V., MIOTO P., SAMPAIO F. L., BORTOLUZI J. H., BENSON E. E., PIZOLATTI M. G., CARASEK E., VIANA A. M. (2007). Micropropagation of *Cedrela fissilis* Vell. (Meliaceae). In: Jain S. M., Haggman H. (Eds).

- Protocols for micropropagation of woody trees and fruits, Springer: 221-235.
- OKERE A. U., ADEGEYE A. (2011). *In vitro* propagation of an endangered medicinal timber species *Khaya grandifoliola* C. Dc. African Journal of Biotechnology, 10: 3335-3339.
- OLIVEIRA Y., PINTO F., SILVA A. L. L., GUEDES I., BIASI L. A., QUOIRIN M. (2010). An efficient protocol for micropropagation of *Melaleuca alternifolia* Cheel. In Vitro Cellular & Developmental Biology-Plant, 46: 192-197.
- PANDEY S., SINGH M., JAISWAL U., JAISWAL V. S. (2006). Shoot initiation and multiplication from a mature tree of *Terminalia arjuna* Roxb. In Vitro Cellular & Developmental Biology-Plant, 42: 389-393.
- PATEÑA L. F., BARBA R. C. (2011). The development of techniques for tissue culture of mango (*Mangifera indica* L.) var. Carabao and successful transfer of *ex vitro*-grafted plants to soil and the field. In Vitro Cellular & Developmental Biology-Plant 47: 629-636.
- PEÑA-RAMÍREZ Y. J., JUÁREZ-GÓMEZ J., GÓMEZ-LÓPEZ L., JERÓNIMO-PÉREZ J. L., GARCÍA-SHESEÑA I., GONZÁLEZ-RODRÍGUEZ J. A., ROBERT M. L. (2010). Multiple adventitious shoot formation in Spanish red cedar (*Cedrela odorata* L.) cultured *in vitro* using juvenile and mature tissues: an improved micropropagation protocol for a highly valuable tropical tree species. In Vitro Cellular & Developmental Biology-Plant, 46: 149-160.
- PEÑA-RAMÍREZ Y. J., GARCÍA-SHESEÑA I., HERNÁNDEZ-ESPINOZA A., DOMÍNGUEZ-HERNÁNDEZ A., BARREDO-POOL F. A., GONZÁLEZ-RODRÍGUEZ J. A., ROBERT M. L. (2011). Induction of somatic embryogenesis and plant regeneration in the tropical timber tree Spanish red cedar [*Cedrela odorata* L. (Meliaceae)]. Plant Cell, Tissue and Organ Culture, 105: 203-209.
- PENCE V. C. (2010). The possibilities and challenges of *in vitro* methods for plant conservation. Kew Bulletin, 65: 539-547.
- PIJUT P. M., LAWSON S. S., MICHLER C. H. (2011). Biotechnological efforts for preserving and enhancing temperate hardwood tree biodiversity, health, and productivity. In Vitro Cellular & Developmental Biology-Plant 47: 123-147.
- PRAKASH E., KHAN P. S. S. V., RAO T. J. V. S., MERU E. S. (2006). Micropropagation of red sanders (*Pterocarpus santalinus* L.) using mature nodal explants. Journal of Forest Research, 11: 329-335.
- PUROHIT S. D., HABIBI N. (2010). Effect of CO₂ enrichment on *in vitro* growth, hardening and acclimatization during micropropagation of some tree species of Aravallis in Rajasthan. Acta Horticulturae, 865: 149-162.
- QIE Y., XU Y., LI X., TAN C., HU R. (2009). *In vitro* shoot culture and rapid propagation of Chinese tallow trees for energy forests. Journal of Northeast Forestry University, 37, 12: 8-9 (in Chinese).
- QUARAISHI A., KOCHER V., SHARMA P., MISHRA S. K. (2004). *In vitro* clonal propagation of neem (*Azadirachta indica*). Plant Cell, Tissue and Organ Culture 78: 281-284.
- QUOIRIN M., LEPOIVRE P. (1977). Etude de milieu adaptes aux cultures *in vitro* de *Prunus*. Acta Horticulturae, 78: 437-442.
- RAHMAN M. M., AMIN M. N., RAHMAN M. B., SULTANA R. S. (2010). *In vitro* adventitious shoot organogenesis and plantlet regeneration from leaf-derived callus of *Lagerstroemia speciosa* (L.) Pers. Propagation of Ornamental Plants, 10: 149-155.
- RAJESWARI V., PALIWAL K. (2006). *In vitro* propagation of *Albizia odoratissima* L. F. (Benth.) from cotyledonary node and leaf nodal explants. In Vitro Cellular & Developmental Biology-Plant, 42: 399-404.
- RAJESWARI V., PALIWAL K. (2008). *In vitro* plant regeneration of red sanders (*Pterocarpus santalinus* L.f.) from cotyledonary nodes. Indian Journal of Biotechnology, 7: 541-546.
- RAMESH M., UMATE P., RAO K. V., SADANANDAM A. (2005). Micropropagation of *Terminalia bellirica* Roxb. - a sericulture and medicinal plant. In Vitro Cellular & Developmental Biology-Plant, 41: 320-323.
- RATHORE P., SUTHAR R., PUROHIT S. D. (2008). Micropropagation of *Terminalia bellerica* Roxb. from juvenile explants. Indian Journal of Biotechnology, 7: 246-249.
- REED B. M. (2008). Plant cryopreservation – a practical guide. Springer Science and Business Media LLC, New York, 513 pp.
- RAVISHANKAR RAI V., MCCOMB J. (2002). Direct somatic embryogenesis from mature embryos of sandalwood. Plant Cell, Tissue and Organ Culture, 69: 65-70.
- REDDY A. R., BAVAJI M., RAO J. V. S. (2006). Micropropagation of *Azadirachta indica* A. Juss. via cotyledonary nodes. Indian Journal of Biotechnology, 5: 309-311.
- RIBAS L. L. F., ZANETTE F., KULCHETSKI L., GUERRA M. P. (2002). Estabelecimento de culturas assépticas de *Aspidosperma polyneuron*. Ciencia Florestal, Santa Maria, 13: 115-122.
- RIBAS L. L. F., ZANETTE F., KULCHETSKI L., GUERRA M. P. (2005). Micropropagacão de *Aspidosperma polyneuron* (Peroba-Rosa) a partir de segmentos nodais de mudas juvenis. Revista Arvore, Journal of Brazilian Forest Science, 29: 517-524.
- ROCHA S. C., QUOIRIN M. (2004). Calogênese e rizogênese em explantes de mogno (*Swietenia macrophylla* King) cultivados *in vitro*. Ciência Florestal, 14: 91-101.
- ROCHA M. A. C., COSTA A. P. C., SILVA S. A., LEDO C. A. S., MOREIRA M. J. S., BASTOS L. P. (2008). Enraizamento *in vitro* e aclimatização de genótipos de jenipapeiro (*Genipa americana* L.). Revista Brasileira de Fruticultura, 30: 769-774.
- RODRÍGUEZ A. C., ORTIZ J. E. (2001). Propagación *in vitro* del Nim (*Azadirachta indica* A. Juss.) mediante brotes axilares. Revista Ciencia Forestal en Mexico, 26: 103-113.
- RODRÍGUEZ-SAHAGÚN A., CASTELLANOS-HERNÁNDEZ O. A., ACEVEDO-HERNÁNDEZ G. J. (2007). Propagación *in vitro* de *Enterolobium cyclocarpum* (Guancaste) a partir de explantes nodales de plantulas axénicas. e-Gnosis, 5: 1-14 (<http://redalyc.uaemex.mx/pdf/730/73000508.pdf>).
- ROUT G. R. (2005). *In vitro* somatic embryogenesis in callus cultures of *Azadirachta indica* A. Juss. - a multipurpose tree. Journal of Forest Research, 10: 263-267.
- SABJA A. M., ORTIZ O., TRIVINO C. (2008). Avances de clonación *in vitro* de árboles adultos de Raulí (*Nothofagus alpina* Poepp. et Endl.) Oerst.) para propagación comercial. Agrociencia, 42: 595-603.
- SALVI N. D., SINGH H., TIVAREKAR S., EAPEN S. (2001). Plant regeneration from different explants of neem. Plant Cell, Tissue and Organ Culture, 65: 159-162.
- SANCHEZ-OLATE M., RIOS D., PEDRAZA M., PEREIRA G., CASTELLANOS H., ESCOBAR R. (2004). Propagación *in vitro* de *Nothofagus procera* (Poepp. et Endl.) Oerst.) a partir de embriones aislados. Bosque, 25: 123-128.

- SANJAYA, MUTHAN B., RATHORE T. S., RAI V. R. (2006a). Micropropagation of an endangered Indian sandalwood (*Santalum album* L.). *Journal of Forest Research*, 11: 203-209.
- SANJAYA, MUTHAN B., RATHORE T. S., RAI V. R. (2006b). Factors influencing *in vivo* and *in vitro* micrografting of sandalwood (*Santalum album* L.): an endangered tree species. *Journal of Forest Research*, 11: 147-151.
- SANSBERRO P., REY H., MROGINSKI L., LUNA C. (2003). *In vitro* plantlet regeneration of *Schinopsis balansae* (Anacardiaceae). *Trees*, 17: 542-546.
- SARASAN V. (2010). Importance of *in vitro* technology to future conservation programmes worldwide. *Kew Bulletin*, 65: 549-554.
- SCHENK R. U., HILDEBRANDT A. C. (1972). Medium and techniques for induction and growth of monocotyledonous and dicotyledonous plant cell cultures. *Canadian Journal of Botany*, 50: 199-204.
- SCHOTTZ E. S., FILHO A. N. K., TRACZ A. L., KOEHLER H., RIBAS L. L. F., QUIRIN M. (2007). Multiplicação *in vitro* de *Swietenia macrophylla* King (Meliaceae) a partir de material juvenil. *Ciência Florestal, Santa Maria*, 17: 109-117.
- SCHULER I. G., BAQUERO S. O., GAONA D. T., VEGA E. G., RODRÍGUEZ J. R., RAMÍREZ C. S., NIETO V. R., HODSON DE JARAMILLO E. (2005). Propagación *in vitro* de material seleccionado de *Tabebuia rosea* (Bertol.) DC. (Ocobo) y *Cordia alliodora* (Ruiz & Pav.) Oken (Nogel Cafetero). *Revista Colombiana de Biotecnología*, 7: 39-50.
- SCOCCHI A. M., MROGINSKI L. A. (2004). *In vitro* conservation of apical meristem-tip of *Melia azedarach* L. (Meliaceae) under slow-growth conditions. *Phyton, International Journal of Experimental Botany*, 73: 137-143.
- SCOCCHI A., FALCOI M., MEDINA R., OMOS S., MROGINSKI L. (2004). Plant recovery of cryopreserved apical meristem tips of *Melia azedarach* L. using encapsulation/dehydration and assessment of their genetic stability. *Euphytica*, 135: 29-38.
- SHAHIN-UZ-ZAMAN M., ASHRAFUZZAMAN M., SHAHIDUL HAQUE M., LUNA L. N. (2008). *In vitro* clonal propagation of the neem tree (*Azadirachta indica* A. Juss.). *African Journal of Biotechnology*, 7: 386-391.
- SHARRY S., ABEDINI W., LEDE S., CABRERA PONCE J. L., HERRERA ESTRELLA L., RANGEL CANO R. M. (2006). An alternative pathway for plant *in vitro* regeneration of insecticidal tree *Melia azedarach* L. derived from the induction of somatic embryogenesis. *Acta Horticulturae*, 725: 489-494.
- SHARRY S. E., SILVA J. A. T. (2006). Effective organogenesis, somatic embryogenesis and salt tolerance induction *in vitro* in the Persian lilac tree (*Melia azedarach* L.) *In*: Silva J. A. (Ed.). *Floriculture, ornamental and plant biotechnology. Advances and topical issues, vol. II.* Global Science Books: 317-324.
- SHEKHAWAT U. K. S., GANAPATHI T. R., SRINIVAS L., BAPAT V. A., RATHORE T. S. (2008). *Agrobacterium*-mediated genetic transformation of embryogenic cell suspension cultures of *Santalum album* L. *Plant Cell, Tissue and Organ Culture*, 92: 261-271.
- SHEKHAWAT G. S., MATHUR S., BATRA A. (2009). Role of phytohormones and nitrogen in somatic embryogenesis induction in cell culture derived from leaflets of *Azadirachta indica*. *Biologia Plantarum*, 53: 707-710.
- SHI X., DAI X., LIU G., BAO M. (2009). Enhancement of somatic embryogenesis in camphor tree (*Cinnamomum camphora* L.): osmotic stress and other factors affecting somatic embryo formation on hormone-free medium. *Trees*, 23: 1033-1042.
- SHI X., DAI X., LIU G., ZHANG J., NING G., BAO M. (2010). Cyclic secondary somatic embryogenesis and efficient plant regeneration in camphor tree (*Cinnamomum camphora* L.). *In Vitro Cellular & Developmental Biology-Plant*, 46: 117-125.
- SHIRIN F., RANA P. K., MANDAL A. K. (2005). *In vitro* clonal propagation of mature *Tectona grandis* through axillary bud proliferation. *Journal of Forest Research*, 10: 465-469.
- SHYAMKUMAR B., ANJANEYULU C., GIRI C. C. (2007). Genetic transformation of *Terminalia chebula* Retz. and detection of tannin in transformed tissue. *Current Science*, 92: 361-367.
- SILVA P. P., CONTIM L. A. S., FREITAS D. V., ARIE P. H. R., SANTOS A. L. W. (2010). Estabelecimento *in vitro* de ápices caulinares de sumaúma (*Ceiba pentandra* L. Gaertn.). *Scientia Agraria, Curitiba*, 11: 437-443.
- SINGH A. K., CHAND S. (2003). Somatic embryogenesis and plant regeneration from cotyledon explants of a timber-yielding leguminous tree, *Dalbergia sissoo* Roxb. *Journal of Plant Physiology*, 160: 415-421.
- SINGH A. K. CHAND S. (2010). Plant regeneration from alginate-encapsulated somatic embryos of *Dalbergia sissoo* Roxb. *Indian Journal of Biotechnology*, 9: 319-324.
- SINGH A. K., CHAND S., PATTNAIK S., CHAND P. K. (2002). Adventitious shoot organogenesis and plant regeneration from cotyledons of *Dalbergia sissoo* Roxb., a timber yielding tree legume. *Plant Cell, Tissue and Organ Culture*, 68: 203-209.
- SINGH M., CHATURVEDI R. (2009). An efficient protocol for cyclic somatic embryogenesis in neem (*Azadirachta indica* A. Juss.). *International Journal of Environmental Science and Engineering*, 1: 49-51.
- SIRCHI M. H. T., KADIR M. A., AZIZ M. A., RASHID A. A., RAFAT A., JAVADI M. B. (2008). Plant regeneration as affected by plant growth regulators (PGR) in mangosteen (*Garcinia mangostana* L.). *African Journal of Biotechnology*, 15: 2693-2701.
- SRIVASTAVA P., SINGH M., MATHUR P., CHATURVEDI R. (2009). *In vitro* organogenesis and plant regeneration from unpollinated ovary cultures of *Azadirachta indica*. *Biologia Plantarum*, 53: 360-364.
- TE-CHATO S., LIM M. (2004). *Garcinia mangostana* Mangosteen. *In*: Litz R. E. (Ed.). *Biotechnology of Fruit and Nut Crops*, Wallingford, Oxon, GBR: CABI Publishing: 211-220.
- TEMBE R. P., DEODHAR M. A. (2011). Clonal propagation and hydroxycitric acid production from *in vitro* shoot cultures of *Garcinia indica* using root suckers as explant. *In Vitro Cellular & Developmental Biology-Plant*, 47: 399-409.
- THE WOOD EXPLORER (2011). Database on the world's commercial wood species. Access: <http://www.thewoodexplorer.com/>
- THENGANE S. R., BHOSLE S. V., DEODHAR S. R., PAWAR K. D., KULKARNI D. K. (2006a). Micropropagation of Indian laurel (*Calophyllum inophyllum*), a source of anti-HIV compounds. *Current Science*, 90: 1393-1397.
- THEGANE S. R., DEODHAR S. R., BHOSLE S. V., RAWAL S. K. (2006b). Repetitive somatic embryogenesis and plant regeneration in *Garcinia indica* Choiss. *In Vitro Cellular & Developmental Biology-Plant*, 42: 256-261.
- THIRUNAVOUKKARASU M., PANDA P. K., NAYAK P., BEHERA P. R., SATPATHY G. B. (2010). Effect of media type and explant source on micropropagation of *Dalbergia sissoo* Roxb. - An important multipurpose forest tree. *International Research Journal of Plant Science*, 1: 155-162.

- TIWARI S. K., TIWARI K. P., SIRIL E. A. (2002). An improved micropropagation protocol for teak. *Plant Cell, Tissue and Organ Culture*, 71: 1-6.
- TIWARI S., SHAH P., SINGH K. (2004). *In vitro* propagation of *Pterocarpus marsupium* Roxb.: an endangered medicinal tree. *Indian Journal of Biotechnology*, 3: 422-425.
- TRESENA N. L., CAVALCANTI-MATA M. E. R. M., DUARTE M. E. M., MORAES A. M. (2010). Determinação do teor de água limite para criconservação das sementes de ipê amarelo (*Tabebuia chrysotrica* (Mart. Ex. DC.) Standl.). *Cerne, Lavras*, 16: 171-175.
- USDA FAS. (2011). Unites States Department of Agriculture Foreign Agricultural Service, Global Agricultural Trade System (GATS), Forest products trade statistics. Access: <http://www.fas.usda.gov/gats/default.aspx>
- USDA FPL. (2011). Center for Wood Anatomy Research, Madison, Wisconsin. Access: <http://www.fpl.fs.fed.us/research/centers/woodanatomy/index.php>
- VALVERDE-CERDAS L., ALVARADO L., HINE A. (2004). Micropropagation of clones from controlled crosses of *Gmelina arborea* in Costa Rica. *New Forests*, 28: 187-194.
- VALVERDE-CERDAS L., ROJAS-VARGAS A., HINE-GÓMEZ A. (2008). *In vitro* propagation of *Albizia guachapele*, *Cedrela odorata*, *Platymiscium pinnatum* and *Guaiacum sanctum*. *Plant Tissue Culture and Biotechnology*, 18: 151-156.
- VARGHESE B., NAITHANI S. C. (2008). Oxidative metabolism-related changes in cryogenically stored neem (*Azadirachta indica* A. Juss.) seeds. *Journal of Plant Physiology*, 165: 755-765.
- VILA S., GONZALEZ A., REY H., MROGINSKI L. (2003). Somatic embryogenesis and plant regeneration from immature zygotic embryos of *Melia azedarach* (Meliaceae). *In Vitro Cellular & Developmental Biology-Plant* 39: 283-287.
- VILA S., REY H. Y., MROGINSKI L. A. (2004). Influence of genotype and explant source on indirect organogenesis by *in vitro* culture of leaves of *Melia azedarach* L. *Biocell*, 28: 35-41.
- VILA S. K., REY H. Y., MROGINSKI L. A. (2007). Factors affecting somatic embryogenesis induction and conversion in “Paradise tree” (*Melia azedarach* L.). *Journal of Plant Growth Regulation*, 26: 268-277.
- VILA S., GONZALEZ A., REY H., MROGINSKI L. (2009). Somatic embryogenesis and plant regeneration of *Cedrela fissilis*. *Biologia Plantarum*, 53: 383-386.
- VILA S., GONZALEZ A., REY H., MROGINSKI L. (2010). Effect of morphological heterogeneity of somatic embryos of *Melia azedarach* on conversion into plants. *Biocell*, 34: 7-13.
- WERNER E. T., CUZZUOL G. R. F., PESSOTTI K. V., LOPES F. P., DE ALMEIDA ROGER J. (2009). Control da calogênese do Pau-Brasil *in vitro*. *Revista Arvore, Journal of Brazilian Forest Science*, 33: 987-996.
- WERNER E. T., MILANEZ C. R. D., MENGARDA L. H. G., VENDRAMÉ W. A., CUZZUOL G. R. F. (2010). Meios de cultura, reguladores de crescimento e fontes de nitrogênio na regulação da calogênese do pau-brasil (*Caesalpinia echinata* Lam.). *Acta Botanica Brasilica*, 24: 1046-1051.
- WHITE P. R. (1940). Vitamin B₆, nicotinic acid, pyridine, glycine and thiamin in the nutrition of excised tomato roots. *American Journal of Botany*, 27: 811-821.
- WIDIYANTO S. N., ERYTRINA D., RAHMANIA H. (2005). Adventitious shoot formation on teak (*Tectona grandis* L.f.) callus cultures derived from internodal segments. *Acta Horticulturae*, 692: 153-157.
- WIDIYANTO S. N., SUKMAWAN A., HARO A. N., RAHMANIA H. (2009). Transient expression of β -glucuronidase reporter gene in *Agrobacterium*-inoculated shoots of various teak clones. *African Journal of Biotechnology*, 8: 2143-2150.
- WU Y.-J., HUANG X.-L., CHEN Q.-Z., LI X.-J., ENGELMANN F. (2007). Induction and cryopreservation of embryonic cultures from nucelli and immature cotyledon cuts of mango (*Mangifera indica* L. var *Zihua*). *Plant Cell Reports*, 26: 161-168.
- YAP L. V., NOOR N. M., CLYDE M. M., CHIN H. F. (2011). Cryopreservation of *Garcinia cowa* shoot tips by vitrification: the effects of sucrose preculture and loading treatment on ultrastructural changes in meristematic cells. *CryoLetters*, 32: 188-196.
- YASHODA R., SUMATHI R., GURUMURTHI K. (2005). Improved micropropagation methods for teak. *Journal of Tropical Forest Science*, 17: 63-75.
- YAYA M. L., RODRÍGUEZ O. L., USAQUÉN W., CHAPPARRO A. (2005). Inducción de organogénesis indirecta en Abarco (*Cariniana pyriformis* Miers.). *Agronomia Colombiana*, 23: 50-54.
- YIN Z., ZHIQI Z., JIANJUN Z. (2001). Use of hymexazol (HMI) in rapid propagation of *Albizia julibrissin* Durazz. *Acta Agriculturae Shanghai*, 17: 31-34.
- ZAHAWI R. A. (2005). Establishment and growth of living fence species: an overlooked tool for the restoration of degraded areas in the tropics. *Restoration Ecology*, 13: 92-102.