

**MASS PROPAGATION OF *DROSERA BURMANNII* VAHL VIA INDUCTION OF SHOOT  
FASCIATION AND RECOVERY OF MORPHOLOGICALLY NORMAL PLANTLETS**

**Yue Ken Liao\* and Ya Yin Ji**

Department of Forestry and Natural Resources, National Chiayi University, 300 SyueFu Rd., 60004 Chiayi, Taiwan,

\*Fax: + 886-5-2775852, \*E-mail: yklliao@mail.ncyu.edu.tw

**REFERENCES**

- ANANTHAKRISHNAN G., XIA X., ELMAN C., SINGER S., PARIS H. S., GAL-ON A., GABA V. (2003). Shoot production in squash (*Cucurbita pepo*) by *in vitro* organogenesis. *Plant Cell Reports*, 21: 739-746.
- ANDERSON H. M., ABBOTT A. J., WILTSHIRE S. (1982). Micro-propagation of strawberry plants *in vitro* – effect of growth regulators on incidence of multi-apex abnormality. *Scientia Horticulturae*, 16: 331-341.
- ANTHONY J. L. (1992). *In vitro* propagation of *Drosera* spp. *HortScience*, 27: 850.
- BALOTIS G., PAPAFOTIU M. (2003). Micropropagation and stability of *Euphorbia pugniformis* cristate form. *Acta Horticulturae*, 616: 471-474.
- BATES S., PREECE J. E., NAVARRETE N. E., VAN SAMBEEK J. W., GAFFNEY G. R. (1992). Thidiazuron stimulates shoot organogenesis and somatic embryogenesis in white ash (*Fraxinus americana* L.) *Plant Cell, Tissue and Organ Culture*, 31: 21-29.
- BAUSOR S. C. (1937). Fasciation and its relation to problems of growth: II. changes from the fasciated to the normal state, with a discussion on the nature of the shoot. *Bulletin of the Torrey Club*, 64: 445-475.
- BINGGELI P. (1990). Occurrence and causes of fasciation. *Cecidology*, 5: 57-62.
- BOBAK M., BLEHOVA A., KRISTIN J., OVECKA M., SAMAJ J. (1995). Direct plant regeneration from leaf explants of *Drosera rotundifolia* cultures *in vitro*. *Plant Cell, Tissue and Organ Culture*, 43: 43-49.
- BODDY S. (1985). *Drosera capensis* – an unusual crestate form? *Carnivorous Plant Newsletter*, 14: 107.
- CHENGALRAYAN K., MHASKE V. B., HAZRA S. (1997). High-frequency conversion of abnormal peanut somatic embryos. *Plant Cell Reports*, 16: 783-786.
- CLARK S. E., JACOBSEN S. E., LEVIN J. Z., MEYEROWITZ E. M. (1996). The *CLAVATA* and *SHOOT MERISTEMLESS* loci competitively regulate meristem activity in *Arabidopsis*. *Development*, 122: 1567-1575.
- CROUCH I. J., VAN STADEN J. (1988). *In vitro* propagation of *Drosera natalensis*. *South African Journal of Botany*, 54: 94-95.
- DARROW G. M., BORTHWICK H. A. (1954). Fasciation in the strawberry: inheritance and the relationship of photoperiodism. *Journal of Heredity*, 45: 299-304.
- EASON J. R., MORRIS R. O., JAMESON P. E. (1996). The relationship between virulence and cytokinin production by *Rhodococcus fascians* (Tilford 1936) Goodfellow 1984. *Plant Pathology*, 45: 323-331.
- FAMBRINI M., BONSIGNORI E., RAPPARINI F., CIONINI G., MICHELOTTI V., BERTINI D., BARALDI R., PUGLIESI C. (2006). *stem fasciated*, a recessive mutation in sunflower (*Helianthus annuus*), alters plant morphology and auxin level. *Annals of Botany*, 98: 715-730.
- FUKAI S., HASEGAWA A., GOI M. (2000). Morphological characteristics and shoot regeneration potential of the fasciated rhizome of *Cymbidium kanran* Makino. *Plant Biotechnology*, 17: 259-262.
- GREVENSTUK T., COELHO N., GONCALVES S., ROMANO A. (2010). *In vitro* propagation of *Drosera intermedia* in a single step. *Biologia Plantarum*, 54: 391-394.
- HUETTEMAN C. A., PREECE J. E. (1993). Thidiazuron: a potent cytokinin for woody plant tissue culture. *Plant Cell, Tissue and Organ Culture*, 33: 105-119.
- ILIEV I., KITIN P. (2011). Origin, morphology, and anatomy of fasciation in plants cultured *in vivo* and *in vitro*. *Plant Growth Regulation*, 63: 115-129.
- ILIEV I., RUBOS A., SCALTSOYIANNES A., NELLAS C., KITIN P. (2003). Anatomical study of *in vitro* obtained fasciated shoots from *Betula pendula* Roth. *Acta Horticulturae*, 616: 481-484.
- JAYARAM K., PRASAD M. N. V. (2005). Rapidly *in vitro* multiplied *Drosera* as reliable source for plumbagin bioprospection. *Current Science*, 89: 447-448.
- JAYARAM K., PRASAD M. N. V. (2007). Rapid *in vitro* multiplication of *Drosera indica* L.: a vulnerable, medicinally important insectivorous plant. *Plant Biotechnology Reports*, 1: 79-84.
- JAYARAM K., PRASAD M. N. V. (2008). Rapid *in vitro* multiplication of *Drosera burmannii* Vahl.: a vulnerable and medicinally important insectivorous plant. *Indian Journal of Biotechnology*, 7: 260-265
- JUNG M. J., LIAO G. I., KUOH C. S. (2005). *Phryma leptostachya* (Phrymaceae), a new family record in Taiwan. *Botanical Bulletin of Academia Sinica*, 46: 239-244.
- KAWIAK A., KROLICKA A., LOJKOWSKA E. (2003). Direct regeneration of *Drosera* from leaf explants and shoot tips. *Plant Cell, Tissue and Organ Culture*, 75: 175-178.
- KAWIAK A., KROLICKA A., LOJKOWSKA E. (2011). *In vitro* cultures of *Drosera aliciae* as a source of a cytotoxic naphthoquinone: ramentaceone. *Biotechnology Letters*, 33: 2309-2316.

- KIM K. S., JANG G. W. (2004). Micropropagation of *Drosera peltata*, a tuberous sundew, by shoot tip culture. *Plant Cell, Tissue and Organ Culture*, 77: 211-214.
- KITIN P., ILIEV I., SCALTSOYIANNES A., NELLAS C., RUBOS A., FUNADA R. (2005). A comparative histological study between normal and fasciated shoots of *Prunus avium* generated *in vitro*. *Plant Cell, Tissue and Organ Culture*, 82: 141-150.
- KUKULCZANKA K. (1991). Micropropagation and *in vitro* germplasm storage of Droseraceae. *Botanic Gardens Micropropagation News*, 1: 38-42.
- KUKULCZANKA K., CZASTKA B. (1988). *In vitro* cultures of *Drosera* sp. *Acta Horticulturae*, 226: 631-634.
- LAUX T., MAYER K. F. X., BERGER J., JURGENS G. (1996). The *WUSCHEL* gene is required for shoot and floral meristem integrity in *Arabidopsis*. *Development*, 122: 87-96.
- MITRAS D., KITIN P., ILIEV I., DANCHEVA D., SCALTSOYIANNES A., TSAKTSIRA M., NELLAS C., ROHR R. (2009). *In vitro* propagation of *Fraxinus excelsior* L. by epicotyls. *Journal of Biological Research – Thessaloniki*, 11: 37-48.
- MURASHIGE T., SKOOG F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiologia Plantarum*, 15: 473-479.
- NILSSON O., MORITZ T., SUNDBERG B., SANDBERG G., OLSSON O. (1996). Expression of the *Agrobacterium rhizogenes rolC* gene in a deciduous forest tree alters growth and development and leads to stem fasciation. *Plant Physiology*, 112: 493-502.
- ONDA R., WATANABE S., SAYAMA T., KOMATSU K., OKANO K., ISHIMOTO M., HARADA K. (2011). Genetic and molecular analysis of fasciation mutation in Japanese soybeans. *Breeding Science*, 61: 26-34.
- PERICA M. C., BERLJAK J. (1996). *In vitro* growth and regeneration of *Drosera spatulata* Labill. on various media. *HortScience*, 31: 1003-1004.
- RANCE S. J., CAMERON D. M., WILLIAMS E. R. (1982). Correction of crown disorders of *Pinus caribaea* var. *hondurensis* by application of zinc. *Plant and Soil*, 65: 293-296.
- SCHOOF H., LENHARD M., HAECKER A., MAYER K. F. X., JURGENS G., LAUX T. (2000). The stem cell population of *Arabidopsis* shoot meristem is maintained by a regulatory loop between the *CLAVA* and *WUSCHEL* genes. *Cell*, 100: 635-644.
- SINJUSHIN A. A., GOSTIMSKY S. A. (2006). Fasciation in pea: basic principles of morphogenesis. *Russian Journal of Development Biology*, 37: 375-381.
- THIMANN K. V., SACHS T. (1966). The role of cytokinins in the “fasciation” disease caused by *Corynebacterium fascians*. *American Journal of Botany*, 53: 731-739.
- TOPOONYANONT N., DEBERGH P. C. (2001). Reducing bushiness in micropropagation Gerbera. *Plant Cell, Tissue and Organ Culture*, 67: 133-144.
- VARGA A., THOMA L. H., BRUINSMA J. (1988). Effects of auxins and cytokinins on epigenetic instability of callus-propagated *Kalanchoe blossfeldiana* Poelln. *Plant Cell, Tissue and Organ Culture*, 15: 223-231.
- WHITE O. E. (1945). The biology of fasciation and its relation to abnormal growth. *Journal of Heredity*, 36: 11-22.
- WISTUBA A. (1983). A “Forma Crestata” of *Drosera*. *Carnivorous Plant Newsletter*, 12: 99-100.