

EFFECTS OF ENDOGENOUS INDOLE-3-ACETIC ACID AND POLYAMINES ON ADVENTITIOUS ROOT FORMATION OF *TAXUS CHINENSIS* LEMEE ET LEVL. VAR. *MAIREI*

Yongjun Fei¹ and Wei Tang^{1,2*}

¹College of Horticulture and Gardening, Yangtze University, 88 Jingmi Road, Jingzhou, Hubei Province 434025, China *Fax: + 86-716-8066262, *E-mail: wt1656@gmail.com

²Program of cell and Molecular Biology, Duke University, 101 Science Drive, Durham, NC 27710, USA

REFERENCES

- ABU-ABIED M., SZWERDSZARF D., MORDEHAEV I., YANIV Y., LEVINKRON S., RUBINSTEIN M., RIOV J., OPHIR R., SADOT E. (2014). Gene expression profiling in juvenile and mature cuttings of *Eucalyptus grandis* reveals the importance of microtubule remodeling during adventitious root formation. *BMC Genomics*, 15: 826.
- AHKAMI A. H., MELZER M., GHAFFARI M. R., POLLMANN S., GHORBANI JAVID M., SHAHINIA F., HAJIREZAEI M. R., DRUEGE U. (2013). Distribution of indole-3-acetic acid in *Petunia hybrida* shoot tip cuttings and relationship between auxin transport, carbohydrate metabolism and adventitious root formation. *Planta*, 238: 499-517.
- ARIAS M., CARBONELL J., AGUSTI M. (2005). Endogenous free polyamines and their role in fruit set of low and high parthenocarpic ability citrus cultivars. *Journal of Plant Physiology*, 162: 845-853.
- BERT P. F., BORDENAVE L., DONNART M., HEVIN C., OLLAT N., DECROOCQ S. (2013). Mapping genetic loci for tolerance to lime-induced iron deficiency chlorosis in grapevine rootstocks (*Vitis* sp.). *TAG. Theoretical and Applied Genetics*, 126: 451-473.
- BLILOU I., XU J., WILDWATER M., WILLEMSSEN V., PAPONOV I., FRIML J., HEIDSTRA R., AIDA M., PALME K., SCHERES B. (2005). The PIN auxin efflux facilitator network controls growth and patterning in *Arabidopsis* roots. *Nature*, 433: 39-44.
- BOSSELUT N., VAN GHELDER C., CLAVERIE M., VOISIN R., ONESTO J. P., ROSSO M. N., ESMENJAUD D. (2011). *Agrobacterium rhizogenes*-mediated transformation of *Prunus* as an alternative for gene functional analysis in hairy-roots and composite plants. *Plant Cell Reports*, 30: 1313-1326.
- BOUDOLF V., LAMMENS T., BORUC J., VAN LEENE J., VAN DEN DAELE H., MAES S., VAN ISTERDAEL G., RUSSINOVA E., KONDOROSI E., WITTERS E., DE JAEGER G., INZE D., DE VEYLDER L. (2009). CDKB1;1 forms a functional complex with CYCA2;3 to suppress endocycle onset. *Plant Physiology*, 150: 1482-1493.
- BREUER C., ISHIDA T., SUGIMOTO K. (2010). Developmental control of endocycles and cell growth in plants. *Current Opinion in Plant Biology*, 13: 654-660.
- CHEN P. Y., LEE Y. I., CHEN B. C., JUANG K. W. (2013). Effects of calcium on rhizotoxicity and the accumulation and translocation of copper by grapevines. *Plant Physiology and Biochemistry*, 73: 375-382.
- COMPTON M. E. (1994). Statistical methods suitable for the analysis of plant tissue culture data. *Plant Cell, Tissue and Organ Culture*, 37: 217-242.
- DA COSTA C. T., DE ALMEIDA M. R., RUEDELL C. M., SCHWAMBACH J., MARASCHIN F. S., FETT-NETO A. G. (2013). When stress and development go hand in hand: main hormonal controls of adventitious rooting in cuttings. *Frontiers in Plant Science*, 4: 133.
- DRUEGE U., FRANKEN P., LISCHESKI S., AHKAMI A. H., ZERCHE S., HAUSE B., HAJIREZAEI M. R. (2014). Transcriptomic analysis reveals ethylene as stimulator and auxin as regulator of adventitious root formation in petunia cuttings. *Frontiers in Plant Science*, 5: 494.
- DRUEGE U., FRANKEN P., HAJIREZAEI M. R. (2016). Plant hormone homeostasis, signaling, and function during adventitious root formation in cuttings. *Frontiers in Plant Science*, 7: 381.
- DUTRA N. T., SILVEIRA V., DE AZEVEDO I. G., GOMES-NETO L. R., FACANHA A. R., STEINER N., GUERRA M. P., FLOH E. I., SANTA-CATARINA C. (2013). Polyamines affect the cellular growth and structure of pro-embryogenic masses in *Araucaria angustifolia* embryogenic cultures through the modulation of proton pump activities and endogenous levels of polyamines. *Physiologia Plantarum*, 148: 121-132.
- ESMENJAUD D., MINOT J. C., VOISIN R., SALESSES G., BONNET A. (1995). Effect of cutting age on the resistance of *Prunus cerasifera* (Myrobalan Plum) to *Meloidogyne arenaria*. *Journal of Nematology*, 27: 634-638.
- FATTORINI L., VELOCCIA A., DELLA ROVERE F., D'ANGELI S., FALASCA G., ALTAMURA M. M. (2017). Indole-3-butyric acid promotes adventitious rooting in *Arabidopsis thaliana* thin cell layers by conversion into indole-3-acetic acid and stimulation of anthranilate synthase activity. *BMC Plant Biology*, 17: 121.
- FUJIHARA S., YONEYAMA T. (2001). Endogenous levels of polyamines in the organs of cucumber plant (*Cucumis sativus*) and factors affecting leaf polyamine contents. *Physiologia Plantarum*, 113: 416-423.
- GIRIJASHANKAR V. (2012). *In vitro* regeneration of *Eucalyptus camaldulensis*. *Physiology and Molecular Biology of Plants*, 18: 79-87.
- HAO DA C., GE G., XIAO P., ZHANG Y., YANG L. (2011). The first insight into the tissue specific taxus transcriptome via Illumina second generation sequencing. *PloS One*, 6: e21220.
- HEDAYATI V., MOUSAVI A., RAZAVI K., CULTRERA N., ALAGNA F., MARIOTTI R., HOSSEINI-MAZINANI M., BALDONI L. (2015). Polymorphisms in the AOX2 gene are associated with the rooting ability of olive cuttings. *Plant Cell Reports*, 34: 1151-1164.
- HERRMANN S., RECHT S., BOENN M., FELDHAHN L., ANGAY O., FLEISCHMANN F., TARKKA M. T., GRAMS T. E., BUSCOT F. (2015). Endogenous rhythmic growth in oak trees is regulated by internal clocks rather than resource availability. *Journal of Experimental Botany*, 66: 7113-7127.

- ISHIDA T., ADACHI S., YOSHIMURA M., SHIMIZU K., UMEDA M., SUGIMOTO K. (2010). Auxin modulates the transition from the mitotic cycle to the endocycle in *Arabidopsis*. *Development*, 137: 63-71.
- JUANG K. W., LEE Y. I., LAI H. Y., WANG C. H., CHEN B. C. (2012). Copper accumulation, translocation, and toxic effects in grapevine cuttings. *Environmental Science and Pollution Research International*, 19: 1315-1322.
- KATAYAMA M. (2000). Synthesis and biological activities of 4-chloroindole-3-acetic acid and its esters. *Bioscience, Biotechnology, and Biochemistry*, 64: 808-815.
- KATAYAMA M., MASUI Y., KAGEYAMA E., KAWABATA Y., KANAYAMA K. (2008). Synthesis and biological activities of 4-trifluoromethyl-indole-3-acetic acid: a new fluorinated indole auxin. *Bioscience, Biotechnology, and Biochemistry*, 72: 2025-2033.
- KOSE C., ERDAL S., KAYA O., ATICI O. (2011). Comparative evaluation of oxidative enzyme activities during adventitious rooting in the cuttings of grapevine rootstocks. *Journal of the Science of Food and Agriculture*, 91: 738-741.
- KRAHULCOVA A., TRAVNICEK P., KRAHULEC F., REJMANEK M. (2017). Small genomes and large seeds: chromosome numbers, genome size and seed mass in diploid *Aesculus* species (Sapindaceae). *Annals of Botany*, 119: 957-964.
- KSOURI R., DEBEZ A., MAHMOUDI H., OUERGHI Z., GHARSALLI M., LACHAAL M. (2007). Genotypic variability within Tunisian grapevine varieties (*Vitis vinifera* L.) facing bicarbonate-induced iron deficiency. *Plant Physiology and Biochemistry*, 45: 315-322.
- LI Y., YANG J., ZHOU X., ZHAO W., JIAN Z. (2015). Isolation and identification of a 10-deacetyl baccatin-III-producing endophyte from *Taxus wallichiana*. *Applied Biochemistry and Biotechnology*, 175: 2224-2231.
- LLORENTE B. E., LARRABURU E. E. (2013). *In vitro* propagation of fraser photinia using Azospirillum-mediated root development. *In: Lambardi M., Ozudogru E. A., Jain S. M. (Eds). Protocols for Micropropagation of Selected Economically-Important Horticultural Plants. Methods in Molecular Biology (Methods and Protocols)*, vol. 994. Humana Press, Totowa, NJ: 245-258.
- MOU D., YAO Y., YANG Y., ZHANG Y., TIAN C., ACHAL V. (2011). Plant high tolerance to excess manganese related with root growth, manganese distribution and antioxidative enzyme activity in three grape cultivars. *Ecotoxicology and Environmental Safety*, 74: 776-786.
- NIEMI K., HAGGMAN H., SARJALA T. (2002). Effects of exogenous diamines on the interaction between ectomycorrhizal fungi and adventitious root formation in Scots pine *in vitro*. *Tree Physiology*, 22: 373-381.
- NORDSTROM A. C., JACOBS F. A., ELIASSON L. (1991). Effect of exogenous indole-3-acetic acid and indole-3-butyric acid on internal levels of the respective auxins and their conjugation with aspartic acid during adventitious root formation in pea cuttings. *Plant Physiology*, 96: 856-861.
- NORIEGA X., BURGOS B., PEREZ F. J. (2007). Short day-photoperiod triggers and low temperatures increase expression of peroxidase RNA transcripts and basic peroxidase isoenzyme activity in grapevine buds. *Phytochemistry*, 68: 1376-1383.
- ONRUBIA M., POLLIER J., VANDEN BOSSCHE R., GOETHALS M., GEVAERT K., MOYANO E., VIDAL-LIMON H., CUSIDO R. M., PALAZON J., GOOSSENS A. (2014). Taximin, a conserved plant-specific peptide is involved in the modulation of plant-specialized metabolism. *Plant Biotechnology Journal*, 12: 971-983.
- PAGNUSSAT G. C., LANTERI M. L., LAMATTINA L. (2003). Nitric oxide and cyclic GMP are messengers in the indole acetic acid-induced adventitious rooting process. *Plant Physiology*, 132: 1241-1248.
- QUAN J., ZHANG S., ZHANG C., MENG S., ZHAO Z., XU X. (2014). Molecular cloning, characterization and expression analysis of the SAMS gene during adventitious root development in IBA-induced tetraploid black locust. *PloS One*, 9: e108709.
- RIBEIRO C. L., SILVA C. M., DROST D. R., NOVAES E., NOVAES C. R., DERVINIS C., KIRST M. (2016). Integration of genetic, genomic and transcriptomic information identifies putative regulators of adventitious root formation in *Populus*. *BMC Plant Biology*, 16: 66.
- SALLA T. D., DA SILVA R., ASTARITA L. V., SANTAREM E. R. (2014). Streptomyces rhizobacteria modulate the secondary metabolism of *Eucalyptus* plants. *Plant Physiology and Biochemistry*, 85: 14-20.
- SALOMON M. V., PICCOLI P., FUNES PINTER I., STIRK W. A., KULKARNI M., VAN STADEN J., BOTTINI R. (2017). Bacteria and smoke-water extract improve growth and induce the synthesis of volatile defense mechanisms in *Vitis vinifera* L. *Plant Physiology and Biochemistry*, 120: 1-9.
- SANNAZZARO A. I., ECHEVERRIA M., ALBERTO E. O., RUIZ O. A., MENENDEZ A. B. (2007). Modulation of polyamine balance in *Lotus glaber* by salinity and arbuscular mycorrhiza. *Plant Physiology and Biochemistry*, 45: 39-46.
- SANTOS MACEDO E., CARDOSO H. G., HERNANDEZ A., PEIXE A. A., POLIDOROS A., FERREIRA A., CORDEIRO A., ARNHOLDT-SCHMITT B. (2009). Physiologic responses and gene diversity indicate olive alternative oxidase as a potential source for markers involved in efficient adventitious root induction. *Physiologia Plantarum*, 137: 532-552.
- SARJALA T., NIEMI K., HAGGMAN H. (2010). Mycorrhiza formation is not needed for early growth induction and growth-related changes in polyamines in Scots pine seedlings *in vitro*. *Plant Physiology and Biochemistry*, 48: 596-601.
- STEVENS M. E., WOESTE K. E., PIJUT P. M. (2018). Localized gene expression changes during adventitious root formation in black walnut (*Juglans nigra* L.). *Tree Physiology*, doi: 10.1093/treephys/tpx175.
- SYKLOWSKA-BARANIEK K., PIETROSIUK A., KOKOSZKA A., FURMANOWA M. (2009). Enhancement of taxane production in hairy root culture of *Taxus × media* var. Hicksii. *Journal of Plant Physiology*, 166: 1950-1954.
- TANG W., NEWTON R. J. (2005). Polyamines promote root elongation and growth by increasing root cell division in regenerated Virginia pine (*Pinus virginiana* Mill.) plantlets. *Plant Cell Reports*, 24: 581-589.
- TANG W., TANG A. Y. (2016). MicroRNAs associated with molecular mechanisms for plant root formation and growth. *Journal of Forestry Research*, 27: 1-12.
- TANG W., TANG A. Y. (2017). Transcriptional mechanisms regulating gene expression and determining cell fates in plant development. *Journal of Forestry Research*, 28: 863-880.
- TONON G., KEVERS C., GASPAR T. (2001). Changes in polyamines, auxins and peroxidase activity during *in vitro* rooting of *Fraxinus angustifolia* shoots: an auxin-independent rooting model. *Tree Physiology*, 21: 655-663.
- TROBEC M., STAMPAR F., VEBERIC R., OSTERC G. (2005). Fluctuations of different endogenous phenolic compounds and cinnamic acid in the first days of the rooting process of cherry rootstock 'GiSela 5' leafy cuttings. *Journal of Plant Physiology*, 162: 589-597.

- TSAVKELOVA E. A., CHERDYNTSEVA T. A., BOTINA S. G., NETRUSOV A. I. (2007). Bacteria associated with orchid roots and microbial production of auxin. *Microbiological Research*, 162: 69-76.
- VUOSKU J., SUORSA M., RUOTTINEN M., SUTELA S., MUILU-MAKELA R., JULKUNEN-TIITTO R., SARJALA T., NEUBAUER P., HAGGMAN H. (2012). Polyamine metabolism during exponential growth transition in Scots pine embryogenic cell culture. *Tree Physiology*, 32: 1274-1287.
- WILDWATER M., CAMPILHO A., PEREZ-PEREZ J. M., HEIDSTRA R., BLILOU I., KORTHOOT H., CHATTERJEE J., MARICONTI L., GRUISSEM W., SCHERES B. (2005). The RETINOBLASTOMA-RELATED gene regulates stem cell maintenance in *Arabidopsis* roots. *Cell*, 123: 1337-1349.
- WILKINS D., VAN OOSTEN J. J., BESFORD R. T. (1994). Effects of elevated CO₂ on growth and chloroplast proteins in *Prunus avium*. *Tree Physiology*, 14: 769-779.
- YAN Y. H., LI J. L., ZHANG X. Q., YANG W. Y., WAN Y., MA Y. M., ZHU Y. Q., PENG Y., HUANG L. K. (2014). Effect of naphthalene acetic acid on adventitious root development and associated physiological changes in stem cutting of *Hemarthria compressa*. *PLoS One*, 9: e90700.
- ZHANG Q., LIU H., SUN G., WILSON I. W., WU J., HOFFMAN A., CHENG J., QIU D. (2015). Baseline survey of root-associated microbes of *Taxus chinensis* (Pilger) Rehd. *PLoS One*, 10: e0123026.
- ZHANG W., FAN J., TAN Q., ZHAO M., ZHOU T., CAO F. (2017). The effects of exogenous hormones on rooting process and the activities of key enzymes of *Malus hupehensis* stem cuttings. *PLoS One*, 12: e0172320.