

TRANSGENE EXPRESSION FOLLOWING TRANSFORMATION OF CHRYSANTHEMUM BY FOUR GENE INTRODUCTION METHODS

Jaime A. Teixeira da Silva and Seiichi Fukai

Faculty of Agriculture, Kagawa University, Miki-cho, Kagawa, 761-0795, Japan
E-mail: jaimetex@angelfire.com

REFERENCES

- Benetka V., Pavingerová D. (1995). Phenotypic differences in transgenic plants of chrysanthemum. *Plant Breeding*, 114: 169-173.
- Boase M. R., Miller R., Deroles S. C. (1997). Chrysanthemum systematics, genetics, and breeding. *In: Janick J. (Ed.) Plant breeding reviews*, vol. 14, John Wiley and Sons: 321-361.
- Boase M. R., Bradley J. M., Borst N. K. (1998a). Genetic transformation mediated by *Agrobacterium tumefaciens* of florists' chrysanthemum (*Dendranthema x grandiflorum*) cultivar 'Peach Margaret'. *In Vitro Cellular and Developmental Biology - Plant*, 34: 46-51.
- Boase M. R., Butler R. C., Borst N. K. (1998 b). Chrysanthemum-cultivar-Agrobacterium interactions revealed by GUS expression time course experiments. *Scientia Horticulturae*, 77: 89-107.
- Chasan R. (1994). Making sense (suppression) of viral RNA-mediated resistance. *Plant Cell*, 6: 1329-1331.
- Chriqui D., David C., Adam S. (1988). Effect of the differentiated or dedifferentiated state of tobacco pith tissue on its behaviour after inoculation with *Agrobacterium rhizogenes*. *Plant Cell Reports*, 7: 111-114.
- Courtney-Gutterson N., Napoli C., Lemieux C., Morgan A., Firoozabady E., Robinson K. E. P. (1994). Modification of flower color in florist's chrysanthemum: production of a white-flowering variety through molecular genetics. *BioTechnology*, 12: 268-271.
- de Jong J., Rademaker W., van Wordragen M. F. (1993). Restoring adventitious shoot formation on chrysanthemum leaf explants following cocultivation with *Agrobacterium tumefaciens*. *Plant Cell, Tissue and Organ Culture*, 32: 263-270.
- de Jong J., Mertens M. J., Rademaker W. (1994). Stable expression of the GUS reporter gene in chrysanthemum depends on binary plasmid T-DNA. *Plant Cell Reports*, 14: 59-64.
- de Jong J., Rademaker W., Ohishi K. (1995). *Agrobacterium*-mediated transformation of chrysanthemum. *Plant Tissue Culture and Biotechnology*, 1: 38-42.
- Dolgov S. V., Mitiouchkina T. Y., Skryabin K. G. (1997). Agrobacterial transformation of chrysanthemum. *Acta Horticulturae*, 447: 329-333.
- Fu R-Z., Liu M., Liang H-J., Zhang C-H., Xue H., Sun Y-R. (1998). Production of transgenic plants of chrysanthemum via *Agrobacterium tumefaciens* mediated method. *Acta Phytophysiological Sinica*, 24: 72-76.
- Fukai S., Chen Z., Oe M. (1987). Cultivar differences in adventitious shoot formation from leaf segments of chrysanthemum (*Dendranthema grandiflora* (Ramat.) Kitamura). *Bulletin of the Osaka Agricultural Research Centre*, 24: 55-58.
- Fukai S., de Jong J., Rademaker W. (1995). Efficient genetic transformation of chrysanthemum (*Dendranthema grandiflora* (Ramat.) Kitamura) using stem segments. *Breeding Science*, 45: 179-184.
- Horsch R. B., Fry J. E., Hoffman N. L., Eichholtz D., Rogers S. G., Fraley R. T. (1985). A simple and general method for transferring genes into plants. *Science*, 227: 1229-1231.
- Kamo K., Blowers A. (1999). Tissue specificity and expression level of *gusA* under *rolD*, mannopine synthase and translation elongation factor 1 subunit α promoters in transgenic *Gladiolus* plants. *Plant Cell Reports*, 18: 809-815.
- Jefferson R. A., Kavanagh T. A., Bevan M. W. (1987). GUS fusions: β -glucuronidase as a sensitive and versatile gene fusion marker in higher plants. *EMBO Journal*, 6: 3901-3907.
- Ledger S. E., Deroles S. C., Given N. K. (1991). Regeneration and *Agrobacterium*-mediated transformation of chrysanthemum. *Plant Cell Reports*, 10: 195-199.

- Lowe J. M., Davey M. R., Power J. B., Blundy K. S. (1993). A study of some factors affecting *Agrobacterium*-transformation and plant regeneration of *Dendranthema grandiflora* Tzvelev (syn. *Chrysanthemum morifolium* Ramat.). *Plant Cell, Tissue and Organ Culture*, 33: 171-180.
- Mishiba K., Mii K. (2000). Polysomaty analysis in diploid and tetraploid *Portulaca grandiflora*. *Plant Science* 156: 213-219.
- Murray M. G., Thompson W. F. (1980). Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Research*, 8: 4321-4325.
- Odell J. T., Nagy F., Chua N-H. (1985). Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter. *Nature*, 313: 810-812.
- Pavingerová D., Dostál J., Bisková R., Benetka V. (1994). Somatic embryogenesis and *Agrobacterium*-mediated transformation of chrysanthemum. *Plant Science*, 97: 95-101.
- Renou J. P., Brochard P., Jalouzot R. (1993). Recovery of transgenic chrysanthemum (*Dendranthema grandiflora* Tzvelev) after hygromycin resistance selection. *Plant Science*, 89: 185-197.
- Sherman J. M., Moyer J. W., Daub M. E. (1998). A regeneration and *Agrobacterium*-mediated transformation system for genetically diverse chrysanthemum cultivars. *Journal of the American Society for Horticultural Science*, 123: 189-194.
- Shinoyama H., Komano M., Nomura Y., Kazuma T. (1998). Stable *Agrobacterium*-mediated transformation of chrysanthemum (*Dendranthema grandiflora* (Ramat.) Kitamura). *Bulletin of the Fukui Agricultural Experimental Station*, 35: 13-21.
- Takatsu Y., Nishizawa Y., Hibi T., Akutsu K. (1999). Transgenic chrysanthemum (*Dendranthema grandiflora* (Ramat.) Kitamura) expressing a rice chitinase gene shows enhanced resistance to gray mold (*Botrytis cinerea*). *Scientia Horticulturae*, 82: 113-123.
- Tosca A., Delledonne M., Furini A., Belenghi B., Fogher C., Frangi P. (2000). Transformation of Korean chrysanthemum (*Dendranthema zawadskii* x *D. x grandiflorum*) and insertion of the maize autonomous element Ac using *Agrobacterium tumefaciens*. *Journal of Genetics and Breeding*, 54: 19-24.
- Urban L. A., Sherman J. M., Moyer J. W., Daub M. E. (1994). High frequency shoot regeneration and *Agrobacterium*-mediated transformation of chrysanthemum (*Dendranthema grandiflora*). *Plant Science*, 98: 69-79.
- Vancanneyt G., Schmidt R., O'Connor-Sanchez A., Willmitzer L., Rocha-Sosa M. (1990). Construction of an intron-containing marker gene: splicing of the intron in transgenic plants and its use in monitoring early events in *Agrobacterium*-mediated plant transformation. *Molecular and General Genetics*, 220: 245-50.
- van Wordragen M. F., de Jong J., Huitema H. B. M., Dons H. J. M. (1991). Genetic transformation of chrysanthemum using wild type *Agrobacterium* strains; strain and cultivar specificity. *Plant Cell Reports*, 9: 505-508.
- van Wordragen M. F., Ouwerkerk P. B. F., Dons H. J. M. (1992 a). *Agrobacterium rhizogenes* mediated induction of apparently untransformed roots and callus in chrysanthemum. *Plant Cell, Tissue and Organ Culture*, 30: 149-157.
- van Wordragen M. F., De Jong J., Schornagel M. J., Dons H. J. M. (1992 b). Rapid screening for host-bacterium interactions in *Agrobacterium*-mediated gene transfer to chrysanthemum, by using the GUS-intron gene. *Plant Science*, 81: 207-214.
- Yepes L. C., Mittak V., Pang S-Z., Gonsalves C., Slightom J. L., Gonsalves D. (1995). Biolistic transformation of chrysanthemum with the nucleocapsid gene of tomato spotted wilt virus. *Plant Cell Reports*, 14: 694-698.
- Young K. J., Jung P. S., Young U. B., Ho P. C., Soo C. Y., Sheop S. J. (1998). Transformation of chrysanthemum by *Agrobacterium tumefaciens* with three different types of vectors. *Journal of the Korean Society for Horticultural Science*, 39: 360-366.
- Zheng Z-L., Yang Z., Jang J-C., Metzger J. D. (2001). Modification of plant architecture in chrysanthemum by ectopic expression of the tobacco phytochrome *B1* gene. *Journal of the American Society for Horticultural Science*, 126: 19-26.